



Reference	ID	Section	OD
BS001	0.74	1.02	2.78
BS002	1.07	1.27	3.61
BS003	1.42	1.53	4.48
BS004	1.78	1.78	5.34
BS005	2.57	1.78	6.13
BS006	2.90	1.78	6.46
BS007	3.69	1.78	7.25
BS008	4.47	1.78	8.03
BS009	5.28	1.78	8.84
BS010	6.07	1.78	9.63
BS011	7.66	1.78	11.22
BS012	9.25	1.78	12.81
BS013	10.82	1.78	14.38
BS014	12.42	1.78	15.98
BS015	14.00	1.78	17.56
BS016	15.60	1.78	19.16
BS017	17.16	1.78	20.72
BS018	18.77	1.78	22.33
BS019	20.35	1.78	23.91
BS020	21.95	1.78	25.51
BS021	23.52	1.78	27.08
BS022	25.12	1.78	28.68
BS023	26.70	1.78	30.26
BS024	28.30	1.78	31.86
BS025	29.87	1.78	33.43
BS026	31.47	1.78	35.03
BS027	33.05	1.78	36.61
BS028	34.65	1.78	38.21
BS029	37.82	1.78	41.38
BS030	41.00	1.78	44.56
BS031	44.17	1.78	47.73
BS032	47.37	1.78	50.93
BS033	50.52	1.78	54.08
BS034	53.67	1.78	57.23
BS035	56.87	1.78	60.43
BS036	60.04	1.78	63.60
BS037	63.22	1.78	66.78
BS038	66.40	1.78	69.96
BS039	69.57	1.78	73.13
BS040	72.76	1.78	76.32
BS041	75.94	1.78	79.50
BS042	82.28	1.78	85.84
BS043	88.64	1.78	92.20
BS044	95.00	1.78	98.56
BS045	101.34	1.78	104.90
BS046	107.70	1.78	111.26
BS047	114.00	1.78	117.56
BS048	120.40	1.78	123.96
BS049	126.76	1.78	130.32
BS050	133.10	1.78	136.66
BS102	1.24	2.62	6.48
BS103	2.06	2.62	7.30
BS104	2.84	2.62	8.08
BS105	3.63	2.62	8.87
BS106	4.42	2.62	9.66
BS107	5.23	2.62	10.47

Reference	ID	Section	OD
BS108	6.02	2.62	11.26
BS109	7.60	2.62	12.84
BS110	9.19	2.62	14.43
BS111	10.78	2.62	16.02
BS112	12.37	2.62	17.61
BS113	13.95	2.62	19.19
BS114	15.54	2.62	20.78
BS115	17.13	2.62	22.37
BS116	18.72	2.62	23.96
BS117	20.29	2.62	25.53
BS118	21.90	2.62	27.14
BS119	23.47	2.62	28.71
BS120	25.07	2.62	30.31
BS121	26.65	2.62	31.89
BS122	28.25	2.62	33.49
BS123	29.83	2.62	35.07
BS124	31.42	2.62	36.66
BS125	33.00	2.62	38.24
BS126	34.60	2.62	39.84
BS127	36.17	2.62	41.41
BS128	37.77	2.62	43.01
BS129	39.35	2.62	44.59
BS130	40.95	2.62	46.19
BS131	42.52	2.62	47.76
BS132	44.12	2.62	49.36
BS133	45.70	2.62	50.94
BS134	47.30	2.62	52.54
BS135	48.90	2.62	54.14
BS136	50.47	2.62	55.71
BS137	52.07	2.62	57.31
BS138	53.65	2.62	58.89
BS139	55.25	2.62	60.49
BS140	56.82	2.62	62.06
BS141	58.42	2.62	63.66
BS142	60.00	2.62	65.24
BS143	61.60	2.62	66.84
BS144	63.17	2.62	68.41
BS145	64.77	2.62	70.01
BS146	66.35	2.62	71.59
BS147	67.95	2.62	73.19
BS148	69.52	2.62	74.76
BS149	71.12	2.62	76.36
BS150	72.70	2.62	77.94
BS151	75.88	2.62	81.12
BS152	82.22	2.62	87.46
BS153	88.58	2.62	93.82
BS154	94.93	2.62	100.17
BS155	101.28	2.62	106.52
BS156	107.63	2.62	112.87
BS157	113.98	2.62	119.22
BS158	120.33	2.62	125.57
BS159	126.67	2.62	131.91
BS160	133.00	2.62	138.24
BS161	139.38	2.62	144.62
BS162	145.73	2.62	150.97
BS163	152.07	2.62	157.31



Reference	ID	Section	OD
BS164	158.43	2.62	163.67
BS165	164.78	2.62	170.02
BS166	171.13	2.62	176.37
BS167	177.48	2.62	182.72
BS168	183.83	2.62	189.07
BS169	190.18	2.62	195.42
BS170	196.53	2.62	201.77
BS171	202.88	2.62	208.12
BS172	209.23	2.62	214.47
BS173	215.58	2.62	220.82
BS174	221.93	2.62	227.17
BS175	228.28	2.62	233.52
BS176	234.63	2.62	239.87
BS177	240.98	2.62	246.22
BS178	247.33	2.62	252.57
BS201	4.34	3.53	11.40
BS202	5.94	3.53	13.00
BS203	7.52	3.53	14.58
BS204	9.12	3.53	16.18
BS205	10.69	3.53	17.75
BS206	12.29	3.53	19.35
BS207	13.87	3.53	20.93
BS208	15.47	3.53	22.53
BS209	17.04	3.53	24.10
BS210	18.64	3.53	25.70
BS211	20.22	3.53	27.28
BS212	21.82	3.53	28.88
BS213	23.40	3.53	30.46
BS214	25.00	3.53	32.06
BS215	26.57	3.53	33.63
BS216	28.17	3.53	35.23
BS217	29.75	3.53	36.81
BS218	31.34	3.53	38.40
BS219	32.93	3.53	39.99
BS220	34.52	3.53	41.58
BS221	36.10	3.53	43.16
BS222	37.70	3.53	44.76
BS223	40.87	3.53	47.93
BS224	44.05	3.53	51.11
BS225	47.23	3.53	54.29
BS226	50.40	3.53	57.46
BS227	53.57	3.53	60.63
BS228	56.75	3.53	63.81
BS229	59.92	3.53	66.98
BS230	63.10	3.53	70.16
BS231	66.27	3.53	73.33
BS232	69.44	3.53	76.50
BS233	72.62	3.53	79.68
BS234	75.80	3.53	82.86
BS235	78.97	3.53	86.03
BS236	82.14	3.53	89.20
BS237	85.32	3.53	92.38
BS238	88.50	3.53	95.56
BS239	91.67	3.53	98.73
BS240	94.84	3.53	101.90
BS241	98.02	3.53	105.08

Reference	ID	Section	OD
BS242	101.20	3.53	108.26
BS243	104.37	3.53	111.43
BS244	107.54	3.53	114.60
BS245	110.72	3.53	117.78
BS246	113.90	3.53	120.96
BS247	117.07	3.53	124.13
BS248	120.24	3.53	127.30
BS249	123.42	3.53	130.48
BS250	126.60	3.53	133.66
BS251	129.77	3.53	136.83
BS252	132.94	3.53	140.00
BS253	136.12	3.53	143.18
BS254	139.30	3.53	146.36
BS255	142.47	3.53	149.53
BS256	145.65	3.53	152.71
BS257	148.82	3.53	155.88
BS258	152.00	3.53	159.06
BS259	158.35	3.53	165.41
BS260	164.70	3.53	171.76
BS261	171.05	3.53	178.11
BS262	177.40	3.53	184.46
BS263	183.75	3.53	190.81
BS264	190.10	3.53	197.16
BS265	196.45	3.53	203.51
BS266	202.80	3.53	209.86
BS267	209.15	3.53	216.21
BS268	215.50	3.53	222.56
BS269	221.85	3.53	228.91
BS270	228.20	3.53	235.26
BS271	234.55	3.53	241.61
BS272	240.90	3.53	247.96
BS273	247.25	3.53	254.31
BS274	253.60	3.53	260.66
BS275	266.30	3.53	273.36
BS276	279.00	3.53	286.06
BS277	291.70	3.53	298.76
BS278	304.40	3.53	311.46
BS279	329.80	3.53	336.86
BS280	355.20	3.53	362.26
BS281	380.60	3.53	387.66
BS282	405.26	3.53	412.32
BS283	430.66	3.53	437.72
BS284	456.06	3.53	463.12
BS309	10.46	5.34	21.14
BS310	12.07	5.34	22.75
BS311	13.64	5.34	24.32
BS312	15.24	5.34	25.92
BS313	16.81	5.34	27.49
BS314	18.42	5.34	29.10
BS315	19.99	5.34	30.67
BS316	21.59	5.34	32.27
BS317	23.16	5.34	33.84
BS318	24.77	5.34	35.45
BS319	26.34	5.34	37.02
BS320	27.94	5.34	38.62
BS321	29.51	5.34	40.19



Reference	ID	Section	OD
BS322	31.12	5.34	41.80
BS323	32.69	5.34	43.37
BS324	34.29	5.34	44.97
BS325	37.47	5.34	48.15
BS326	40.65	5.34	51.33
BS327	43.82	5.34	54.50
BS328	47.00	5.34	57.68
BS329	50.16	5.34	60.84
BS330	53.34	5.34	64.02
BS331	56.52	5.34	67.20
BS332	59.70	5.34	70.38
BS333	62.87	5.34	73.55
BS334	66.04	5.34	76.72
BS335	69.22	5.34	79.90
BS336	72.40	5.34	83.08
BS337	75.57	5.34	86.25
BS338	78.74	5.34	89.42
BS339	81.92	5.34	92.60
BS340	85.10	5.34	95.78
BS341	88.27	5.34	98.95
BS342	91.44	5.34	102.12
BS343	94.62	5.34	105.30
BS344	97.80	5.34	108.48
BS345	100.97	5.34	111.65
BS346	104.14	5.34	114.82
BS347	107.32	5.34	118.00
BS348	110.50	5.34	121.18
BS349	113.67	5.34	124.35
BS350	116.84	5.34	127.52
BS351	120.02	5.34	130.70
BS352	123.20	5.34	133.88
BS353	126.37	5.34	137.05
BS354	129.54	5.34	140.22
BS355	132.72	5.34	143.40
BS356	135.90	5.34	146.58
BS357	139.07	5.34	149.75
BS358	142.24	5.34	152.92
BS359	145.42	5.34	156.10
BS360	148.60	5.34	159.28
BS361	151.77	5.34	162.45
BS362	158.12	5.34	168.80
BS363	164.47	5.34	175.15
BS364	170.82	5.34	181.50
BS365	177.17	5.34	187.85
BS366	183.52	5.34	194.20
BS367	189.87	5.34	200.55
BS368	196.22	5.34	206.90
BS369	202.57	5.34	213.25
BS370	208.92	5.34	219.60
BS371	215.27	5.34	225.95
BS372	221.62	5.34	232.30
BS373	227.97	5.34	238.65
BS374	234.32	5.34	245.00
BS375	240.67	5.34	251.35
BS376	247.02	5.34	257.70
BS377	253.37	5.34	264.05

Reference	ID	Section	OD
BS378	266.07	5.34	276.75
BS379	278.77	5.34	289.45
BS380	291.47	5.34	302.15
BS381	304.17	5.34	314.85
BS382	329.57	5.34	340.25
BS383	354.97	5.34	365.65
BS384	380.37	5.34	391.05
BS385	405.26	5.34	415.94
BS386	430.66	5.34	441.34
BS387	456.06	5.34	466.74
BS388	481.46	5.34	492.14
BS389	506.86	5.34	517.54
BS390	532.26	5.34	542.94
BS391	557.66	5.34	568.34
BS392	582.68	5.34	593.36
BS393	608.08	5.34	618.76
BS394	633.48	5.34	644.16
BS395	658.88	5.34	669.56
BS425	113.67	6.99	127.65
BS426	116.84	6.99	130.82
BS427	120.02	6.99	134.00
BS428	123.20	6.99	137.18
BS429	126.37	6.99	140.35
BS430	129.54	6.99	143.52
BS431	132.72	6.99	146.70
BS432	135.90	6.99	149.88
BS433	139.07	6.99	153.05
BS434	142.24	6.99	156.22
BS435	145.42	6.99	159.40
BS436	148.60	6.99	162.58
BS437	151.77	6.99	165.75
BS438	158.12	6.99	172.10
BS439	164.47	6.99	178.45
BS440	170.82	6.99	184.80
BS441	177.17	6.99	191.15
BS442	183.52	6.99	197.50
BS443	189.87	6.99	203.85
BS444	196.22	6.99	210.20
BS445	202.57	6.99	216.55
BS446	215.27	6.99	229.25
BS447	227.97	6.99	241.95
BS448	240.67	6.99	254.65
BS449	253.57	6.99	267.55
BS450	266.07	6.99	280.05
BS451	278.77	6.99	292.75
BS452	291.47	6.99	305.45
BS453	304.17	6.99	318.15
BS454	316.87	6.99	330.85
BS455	329.57	6.99	343.55
BS456	342.27	6.99	356.25
BS457	354.97	6.99	368.95
BS458	367.67	6.99	381.65
BS459	380.37	6.99	394.35
BS460	393.07	6.99	407.05
BS461	405.26	6.99	419.24
BS462	417.96	6.99	431.94

Reference	ID	Section	OD
BS463	430.66	6.99	444.64
BS464	443.36	6.99	457.34
BS465	456.06	6.99	470.04
BS466	468.76	6.99	482.74
BS467	481.46	6.99	495.44
BS468	494.16	6.99	508.14
BS469	506.86	6.99	520.84
BS470	532.26	6.99	546.24
BS471	557.66	6.99	571.64
BS472	582.68	6.99	596.66
BS473	608.08	6.99	622.06
BS474	633.48	6.99	647.46
BS475	658.88	6.99	672.86
BS517	36.27	1.78	39.83
BS519	39.45	1.78	43.01
BS532	79.00	1.78	82.56
BS534	85.34	1.78	88.90
BS536	91.70	1.78	95.26
BS538	98.05	1.78	101.61
BS540	104.40	1.78	107.96
BS542	110.74	1.78	114.30
BS544	117.10	1.78	120.66
BS546	123.44	1.78	127.00
BS548	129.40	1.78	132.96
BS550	135.76	1.78	139.32
BS551	138.94	1.78	142.50
BS552	142.11	1.78	145.67
BS553	145.29	1.78	148.85
BS554	148.46	1.78	152.02
BS555	151.64	1.78	155.20
BS556	154.81	1.78	158.37
BS557	158.00	1.78	161.56
BS558	161.16	1.78	164.72
BS559	164.34	1.78	167.90
BS560	167.51	1.78	171.07
BS561	170.69	1.78	174.25
BS562	173.87	1.78	177.43
BS606	1.78	1.02	3.82
BS607	2.54	1.02	4.58
BS610	6.75	1.78	10.31
BS611	8.73	1.78	12.29
BS613	9.92	2.62	15.16
BS614	11.91	2.62	17.15
BS615	13.10	2.62	18.34
BS616	15.08	2.62	20.32
BS617	17.86	2.62	23.10
BS618	25.80	3.53	32.86
BS619	74.63	5.34	85.31
BS620	79.77	5.34	90.45
BS621	89.69	5.34	100.37
BS622	100.00	5.34	110.68
BS623	109.54	5.34	120.22
BS624	114.70	6.99	128.68
BS625	124.60	6.99	138.58
BS626	134.50	6.99	148.48
BS627	159.50	6.99	173.48

Reference	ID	Section	OD
BS628	166.70	6.99	180.68
BS640	74.30	2.62	79.54
BS641	77.50	2.62	82.74
BS642	80.60	2.62	85.84
BS643	83.80	2.62	89.04
BS644	155.00	5.34	165.68
BS645	161.30	5.34	171.98
BS646	167.70	5.34	178.38
BS647	174.00	5.34	184.68
BS648	310.50	6.99	324.48
BS649	323.20	6.99	337.18
BS650	335.90	6.99	349.88
BS674	208.92	6.99	222.90
BS676	221.62	6.99	235.60
BS678	234.32	6.99	248.30
BS680	247.00	6.99	260.98
BS682	259.70	6.99	273.68
BS684	272.40	6.99	286.38
BS686	285.10	6.99	299.08
BS688	297.80	6.99	311.78
BS801	3.17	1.78	6.73
BS802	4.76	1.78	8.32
BS803	6.35	1.78	9.91
BS804	7.94	1.78	11.50
BS806	11.11	1.78	14.67
BS807	12.70	2.62	17.94
BS809	15.88	2.62	21.12
BS810	17.46	2.62	22.70
BS812	20.64	2.62	25.88
BS813	22.23	2.62	27.47
BS814	23.81	2.62	29.05
BS824	39.70	3.53	46.76
BS825	41.28	3.53	48.34
BS826	42.86	3.53	49.92
BS827	44.45	3.53	51.51
BS828	46.04	3.53	53.10
BS829	47.62	3.53	54.68
BS830	49.20	3.53	56.26
BS831	50.80	3.53	57.86
BS832	52.40	3.53	59.46
BS833	53.97	3.53	61.03
BS834	55.56	3.53	62.62
BS835	57.15	3.53	64.21
BS836	58.74	3.53	65.80
BS837	60.32	3.53	67.38
BS838	61.90	3.53	68.96
BS839	63.50	3.53	70.56
BS840	65.10	3.53	72.16
BS841	66.67	3.53	73.73
BS842	68.26	3.53	75.32
BS843	69.85	3.53	76.91
BS844	71.44	3.53	78.50
BS845	73.02	3.53	80.08
BS846	74.60	3.53	81.66
BS860	117.48	5.34	128.16
BS861	120.65	5.34	131.33



Reference	ID	Section	OD
BS862	123.83	5.34	134.51
BS863	127.00	5.34	137.68
BS864	130.18	5.34	140.86
BS865	133.35	5.34	144.03
BS866	136.53	5.34	147.21
BS867	139.70	5.34	150.38
BS868	142.88	5.34	153.56
BS869	146.05	5.34	156.73
BS870	149.23	5.34	159.91
BS872	155.60	6.99	169.58
BS874	161.90	6.99	175.88
BS876	168.30	6.99	182.28
BS878	174.60	6.99	188.58
BS880	181.00	6.99	194.98
BS882	187.30	6.99	201.28
BS884	193.70	6.99	207.68
BS886	200.00	6.99	213.98
BS901	4.70	1.42	7.54
BS902	6.07	1.63	9.33
BS903	7.65	1.63	10.91
BS904	8.90	1.83	12.56
BS905	10.51	1.83	14.17
BS906	11.90	1.98	15.86
BS907	13.46	2.08	17.62
BS908	16.36	2.20	20.76
BS909	17.93	2.46	22.85
BS910	19.18	2.46	24.10
BS911	21.92	2.95	27.82
BS912	23.47	2.95	29.37
BS913	25.04	2.95	30.94
BS914	26.62	2.95	32.52
BS916	29.74	2.95	35.64
BS918	34.42	2.95	40.32
BS920	37.46	3.00	43.46
BS924	43.70	3.00	49.70
BS928	53.10	3.00	59.10
BS932	59.36	3.00	65.36

Reference	ID	Section	OD
Notes			