

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
BS001	0.74	1.02	2.78
OR1.15X1	1.15	1.00	3.15
BS002	1.07	1.27	3.61
BS606	1.78	1.02	3.82
BS003	1.42	1.53	4.48
BS607	2.54	1.02	4.58
BS004	1.78	1.78	5.34
OR2.2X1.6	2.20	1.60	5.40
OR2.75X1.6	2.75	1.60	5.95
OR3X1.5	3.00	1.50	6.00
BS005	2.57	1.78	6.13
OR2.4X1.9	2.40	1.90	6.20
OR3.1X1.6	3.10	1.60	6.30
OR2.6X1.9	2.60	1.90	6.40
BS006	2.90	1.78	6.46
BS102	1.24	2.62	6.48
BS801	3.17	1.78	6.73
OR4X1.5	4.00	1.50	7.00
OR3X2	3.00	2.00	7.00
OR3.4X1.9	3.40	1.90	7.20
BS007	3.69	1.78	7.25
OR4.1X1.6	4.10	1.60	7.30
BS103	2.06	2.62	7.30
BS901	4.70	1.42	7.54
OR5X1.5	5.00	1.50	8.00
OR4.2X1.9	4.20	1.90	8.00
OR4X2	4.00	2.00	8.00
BS008	4.47	1.78	8.03
BS104	2.84	2.62	8.08
OR3.3X2.4	3.30	2.40	8.10
OR5.1X1.6	5.10	1.60	8.30
BS802	4.76	1.78	8.32
OR3.6X2.4	3.60	2.40	8.40
OR4.9X1.9	4.90	1.90	8.70
BS009	5.28	1.78	8.84
BS105	3.63	2.62	8.87
OR6X1.5	6.00	1.50	9.00
OR5X2	5.00	2.00	9.00
OR4X2.5	4.00	2.50	9.00
OR3X3	3.00	3.00	9.00
OR4.3X2.4	4.30	2.40	9.10
OR6.1X1.6	6.10	1.60	9.30
BS902	6.07	1.63	9.33
OR4.6X2.4	4.60	2.40	9.40
OR5.7X1.9	5.70	1.90	9.50
BS010	6.07	1.78	9.63
BS106	4.42	2.62	9.66
BS803	6.35	1.78	9.91
OR7X1.5	7.00	1.50	10.00
OR6X2	6.00	2.00	10.00
OR5X2.5	5.00	2.50	10.00
OR4X3	4.00	3.00	10.00
OR5.3X2.4	5.30	2.40	10.10
OR6.4X1.9	6.40	1.90	10.20
OR7.1X1.6	7.10	1.60	10.30
BS610	6.75	1.78	10.31

Reference	ID	Section	OD
OR6X2.2	6.00	2.20	10.40
OR5.6X2.4	5.60	2.40	10.40
BS107	5.23	2.62	10.47
BS903	7.65	1.63	10.91
OR8X1.5	8.00	1.50	11.00
OR7.2X1.9	7.20	1.90	11.00
OR7X2	7.00	2.00	11.00
OR6X2.5	6.00	2.50	11.00
OR5X3	5.00	3.00	11.00
OR6.3X2.4	6.30	2.40	11.10
BS011	7.66	1.78	11.22
BS108	6.02	2.62	11.26
OR8.1X1.6	8.10	1.60	11.30
OR6.6X2.4	6.60	2.40	11.40
BS201	4.34	3.53	11.40
BS804	7.94	1.78	11.50
OR8X1.9	8.00	1.90	11.80
OR9X1.5	9.00	1.50	12.00
OR8X2	8.00	2.00	12.00
OR7X2.5	7.00	2.50	12.00
OR6X3	6.00	3.00	12.00
OR4X4	4.00	4.00	12.00
OR7.3X2.4	7.30	2.40	12.10
BS611	8.73	1.78	12.29
OR9.1X1.6	9.10	1.60	12.30
OR7.6X2.4	7.60	2.40	12.40
BS904	8.90	1.83	12.56
OR8.9X1.9	8.90	1.90	12.70
BS012	9.25	1.78	12.81
BS109	7.60	2.62	12.84
OR10X1.5	10.00	1.50	13.00
OR9X2	9.00	2.00	13.00
OR8X2.5	8.00	2.50	13.00
OR7X3	7.00	3.00	13.00
BS202	5.94	3.53	13.00
OR5X4	5.00	4.00	13.00
OR9.52X1.78	9.52	1.78	13.08
OR8.3X2.4	8.30	2.40	13.10
OR10.1X1.6	10.10	1.60	13.30
OR9X2.2	9.00	2.20	13.40
OR8.6X2.4	8.60	2.40	13.40
OR11X1.5	11.00	1.50	14.00
OR10X2	10.00	2.00	14.00
OR9X2.5	9.00	2.50	14.00
OR8X3	8.00	3.00	14.00
OR6X4	6.00	4.00	14.00
OR4X5	4.00	5.00	14.00
OR9.3X2.4	9.30	2.40	14.10
BS905	10.51	1.83	14.17
OR11.1X1.6	11.10	1.60	14.30
OR8.9X2.7	8.90	2.70	14.30
BS013	10.82	1.78	14.38
OR9.6X2.4	9.60	2.40	14.40
BS110	9.19	2.62	14.43
BS203	7.52	3.53	14.58
BS806	11.11	1.78	14.67

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR12X1.5	12.00	1.50	15.00
OR11X2	11.00	2.00	15.00
OR10X2.5	10.00	2.50	15.00
OR9X3	9.00	3.00	15.00
OR8X3.5	8.00	3.50	15.00
OR7X4	7.00	4.00	15.00
OR5X5	5.00	5.00	15.00
OR10.3X2.4	10.30	2.40	15.10
BS613	9.92	2.62	15.16
OR12.1X1.6	12.10	1.60	15.30
OR10.6X2.4	10.60	2.40	15.40
BS906	11.90	1.98	15.86
OR10.5X2.7	10.50	2.70	15.90
BS014	12.42	1.78	15.98
OR13X1.5	13.00	1.50	16.00
OR12X2	12.00	2.00	16.00
OR11X2.5	11.00	2.50	16.00
OR10X3	10.00	3.00	16.00
OR9X3.5	9.00	3.50	16.00
OR8X4	8.00	4.00	16.00
OR6X5	6.00	5.00	16.00
BS111	10.78	2.62	16.02
OR11.3X2.4	11.30	2.40	16.10
BS204	9.12	3.53	16.18
OR13.1X1.6	13.10	1.60	16.30
OR11.6X2.4	11.60	2.40	16.40
OR14X1.5	14.00	1.50	17.00
OR13X2	13.00	2.00	17.00
OR12X2.5	12.00	2.50	17.00
OR11X3	11.00	3.00	17.00
OR10X3.5	10.00	3.50	17.00
OR9X4	9.00	4.00	17.00
OR7X5	7.00	5.00	17.00
OR12.3X2.4	12.30	2.40	17.10
BS614	11.91	2.62	17.15
OR14.1X1.6	14.10	1.60	17.30
OR12.6X2.4	12.60	2.40	17.40
OR12.1X2.7	12.10	2.70	17.50
BS015	14.00	1.78	17.56
BS112	12.37	2.62	17.61
BS907	13.46	2.08	17.62
BS205	10.69	3.53	17.75
BS807	12.70	2.62	17.94
OR15X1.5	15.00	1.50	18.00
OR14X2	14.00	2.00	18.00
OR13X2.5	13.00	2.50	18.00
OR12X3	12.00	3.00	18.00
OR11X3.5	11.00	3.50	18.00
OR10X4	10.00	4.00	18.00
OR8X5	8.00	5.00	18.00
OR13.3X2.4	13.30	2.40	18.10
OR15.1X1.6	15.10	1.60	18.30
BS615	13.10	2.62	18.34
OR13.6X2.4	13.60	2.40	18.40
OR16X1.5	16.00	1.50	19.00
OR15X2	15.00	2.00	19.00

Reference	ID	Section	OD
OR14X2.5	14.00	2.50	19.00
OR13.6X2.7	13.60	2.70	19.00
OR13X3	13.00	3.00	19.00
OR12X3.5	12.00	3.50	19.00
OR11X4	11.00	4.00	19.00
OR9X5	9.00	5.00	19.00
OR14.3X2.4	14.30	2.40	19.10
BS016	15.60	1.78	19.16
BS113	13.95	2.62	19.19
OR16.1X1.6	16.10	1.60	19.30
BS206	12.29	3.53	19.35
OR14.6X2.4	14.60	2.40	19.40
OR16X1.9	16.00	1.90	19.80
OR17X1.5	17.00	1.50	20.00
OR16X2	16.00	2.00	20.00
OR15X2.5	15.00	2.50	20.00
OR14X3	14.00	3.00	20.00
OR13X3.5	13.00	3.50	20.00
OR12X4	12.00	4.00	20.00
OR10X5	10.00	5.00	20.00
OR15.3X2.4	15.30	2.40	20.10
OR17.1X1.6	17.10	1.60	20.30
BS616	15.08	2.62	20.32
OR15.6X2.4	15.60	2.40	20.40
OR15.1X2.7	15.10	2.70	20.50
BS017	17.16	1.78	20.72
BS908	16.36	2.20	20.76
BS114	15.54	2.62	20.78
BS207	13.87	3.53	20.93
OR18X1.5	18.00	1.50	21.00
OR17X2	17.00	2.00	21.00
OR16X2.5	16.00	2.50	21.00
OR15X3	15.00	3.00	21.00
OR14X3.5	14.00	3.50	21.00
OR13X4	13.00	4.00	21.00
OR11X5	11.00	5.00	21.00
OR16.3X2.4	16.30	2.40	21.10
BS809	15.88	2.62	21.12
BS309	10.46	5.34	21.14
OR18.1X1.6	18.10	1.60	21.30
OR16.6X2.4	16.60	2.40	21.40
OR19X1.5	19.00	1.50	22.00
OR18X2	18.00	2.00	22.00
OR17X2.5	17.00	2.50	22.00
OR16X3	16.00	3.00	22.00
OR15X3.5	15.00	3.50	22.00
OR14X4	14.00	4.00	22.00
OR12X5	12.00	5.00	22.00
OR17.3X2.4	17.30	2.40	22.10
OR19.1X1.6	19.10	1.60	22.30
OR16.9X2.7	16.90	2.70	22.30
BS018	18.77	1.78	22.33
BS115	17.13	2.62	22.37
OR17.6X2.4	17.60	2.40	22.40
BS208	15.47	3.53	22.53
BS810	17.46	2.62	22.70

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
BS310	12.07	5.34	22.75
BS909	17.93	2.46	22.85
OR20X1.5	20.00	1.50	23.00
OR19X2	19.00	2.00	23.00
OR18X2.5	18.00	2.50	23.00
OR17X3	17.00	3.00	23.00
OR16X3.5	16.00	3.50	23.00
OR15X4	15.00	4.00	23.00
OR13X5	13.00	5.00	23.00
OR18.3X2.4	18.30	2.40	23.10
BS617	17.86	2.62	23.10
OR17.2X3	17.20	3.00	23.20
OR20.1X1.6	20.10	1.60	23.30
OR18.6X2.4	18.60	2.40	23.40
OR18.4X2.7	18.40	2.70	23.80
BS019	20.35	1.78	23.91
BS116	18.72	2.62	23.96
OR21X1.5	21.00	1.50	24.00
OR20X2	20.00	2.00	24.00
OR19X2.5	19.00	2.50	24.00
OR18X3	18.00	3.00	24.00
OR17X3.5	17.00	3.50	24.00
OR16X4	16.00	4.00	24.00
OR14X5	14.00	5.00	24.00
OR14X5	14.00	5.00	24.00
OR19.3X2.4	19.30	2.40	24.10
BS910	19.18	2.46	24.10
BS209	17.04	3.53	24.10
OR18.2X3	18.20	3.00	24.20
OR21.1X1.6	21.10	1.60	24.30
BS311	13.64	5.34	24.32
OR19.6X2.4	19.60	2.40	24.40
OR22X1.5	22.00	1.50	25.00
OR21X2	21.00	2.00	25.00
OR20X2.5	20.00	2.50	25.00
OR19X3	19.00	3.00	25.00
OR18X3.5	18.00	3.50	25.00
OR17X4	17.00	4.00	25.00
OR15X5	15.00	5.00	25.00
OR20.3X2.4	20.30	2.40	25.10
OR19.2X3	19.20	3.00	25.20
OR22.1X1.6	22.10	1.60	25.30
OR19.5X3	19.50	3.00	25.50
OR18.3X3.6	18.30	3.60	25.50
BS020	21.95	1.78	25.51
BS117	20.29	2.62	25.53
BS210	18.64	3.53	25.70
BS812	20.64	2.62	25.88
BS312	15.24	5.34	25.92
OR23X1.5	23.00	1.50	26.00
OR22X2	22.00	2.00	26.00
OR21X2.5	21.00	2.50	26.00
OR20X3	20.00	3.00	26.00
OR19X3.5	19.00	3.50	26.00
OR18X4	18.00	4.00	26.00
OR16X5	16.00	5.00	26.00

Reference	ID	Section	OD
OR21.3X2.4	21.30	2.40	26.10
OR20.2X3	20.20	3.00	26.20
OR21.6X2.4	21.60	2.40	26.40
OR24X1.5	24.00	1.50	27.00
OR23X2	23.00	2.00	27.00
OR22X2.5	22.00	2.50	27.00
OR21X3	21.00	3.00	27.00
OR20X3.5	20.00	3.50	27.00
OR19.8X3.6	19.80	3.60	27.00
OR19X4	19.00	4.00	27.00
OR17X5	17.00	5.00	27.00
BS021	23.52	1.78	27.08
OR22.3X2.4	22.30	2.40	27.10
BS118	21.90	2.62	27.14
OR21.2X3	21.20	3.00	27.20
BS211	20.22	3.53	27.28
BS813	22.23	2.62	27.47
BS313	16.81	5.34	27.49
OR21.5X3	21.50	3.00	27.50
BS911	21.92	2.95	27.82
OR24X2	24.00	2.00	28.00
OR23X2.5	23.00	2.50	28.00
OR22X3	22.00	3.00	28.00
OR21X3.5	21.00	3.50	28.00
OR20X4	20.00	4.00	28.00
OR18X5	18.00	5.00	28.00
OR25X1.54	25.00	1.54	28.08
OR23.3X2.4	23.30	2.40	28.10
OR22.2X3	22.20	3.00	28.20
OR25.1X1.6	25.10	1.60	28.30
OR22.5X3	22.50	3.00	28.50
OR21.3X3.6	21.30	3.60	28.50
BS022	25.12	1.78	28.68
BS119	23.47	2.62	28.71
BS212	21.82	3.53	28.88
OR26X1.5	26.00	1.50	29.00
OR25X2	25.00	2.00	29.00
OR24X2.5	24.00	2.50	29.00
OR23X3	23.00	3.00	29.00
OR22X3.5	22.00	3.50	29.00
OR21X4	21.00	4.00	29.00
OR19X5	19.00	5.00	29.00
BS814	23.81	2.62	29.05
BS314	18.42	5.34	29.10
BS912	23.47	2.95	29.37
OR24.6X2.4	24.60	2.40	29.40
OR25X2.4	25.00	2.40	29.80
OR27X1.5	27.00	1.50	30.00
OR26X2	26.00	2.00	30.00
OR25X2.5	25.00	2.50	30.00
OR24X3	24.00	3.00	30.00
OR23X3.5	23.00	3.50	30.00
OR22X4	22.00	4.00	30.00
OR20X5	20.00	5.00	30.00
OR25.3X2.4	25.30	2.40	30.10
OR24.2X3	24.20	3.00	30.20

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR23X3.6	23.00	3.60	<b>30.20</b>
BS023	26.70	1.78	<b>30.26</b>
OR27.1X1.6	27.10	1.60	<b>30.30</b>
BS120	25.07	2.62	<b>30.31</b>
BS213	23.40	3.53	<b>30.46</b>
OR24.5X3	24.50	3.00	<b>30.50</b>
BS315	19.99	5.34	<b>30.67</b>
BS913	25.04	2.95	<b>30.94</b>
OR28X1.5	28.00	1.50	<b>31.00</b>
OR27X2	27.00	2.00	<b>31.00</b>
OR26X2.5	26.00	2.50	<b>31.00</b>
OR25X3	25.00	3.00	<b>31.00</b>
OR24X3.5	24.00	3.50	<b>31.00</b>
OR23X4	23.00	4.00	<b>31.00</b>
OR21X5	21.00	5.00	<b>31.00</b>
OR25.2X3	25.20	3.00	<b>31.20</b>
OR25.5X3	25.50	3.00	<b>31.50</b>
OR24.6X3.6	24.60	3.60	<b>31.80</b>
BS024	28.30	1.78	<b>31.86</b>
BS121	26.65	2.62	<b>31.89</b>
OR29X1.5	29.00	1.50	<b>32.00</b>
OR28X2	28.00	2.00	<b>32.00</b>
OR27X2.5	27.00	2.50	<b>32.00</b>
OR26X3	26.00	3.00	<b>32.00</b>
OR25X3.5	25.00	3.50	<b>32.00</b>
OR24X4	24.00	4.00	<b>32.00</b>
OR22X5	22.00	5.00	<b>32.00</b>
BS214	25.00	3.53	<b>32.06</b>
OR27.3X2.4	27.30	2.40	<b>32.10</b>
OR26.2X3	26.20	3.00	<b>32.20</b>
BS316	21.59	5.34	<b>32.27</b>
OR29.1X1.6	29.10	1.60	<b>32.30</b>
OR27.6X2.4	27.60	2.40	<b>32.40</b>
OR26.5X3	26.50	3.00	<b>32.50</b>
BS914	26.62	2.95	<b>32.52</b>
OR27.3X2.7	27.30	2.70	<b>32.70</b>
BS618	25.80	3.53	<b>32.86</b>
OR30X1.5	30.00	1.50	<b>33.00</b>
OR29X2	29.00	2.00	<b>33.00</b>
OR28X2.5	28.00	2.50	<b>33.00</b>
OR27X3	27.00	3.00	<b>33.00</b>
OR26X3.5	26.00	3.50	<b>33.00</b>
OR25X4	25.00	4.00	<b>33.00</b>
OR23X5	23.00	5.00	<b>33.00</b>
OR26.2X3.6	26.20	3.60	<b>33.40</b>
BS025	29.87	1.78	<b>33.43</b>
BS122	28.25	2.62	<b>33.49</b>
OR27.5X3	27.50	3.00	<b>33.50</b>
BS215	26.57	3.53	<b>33.63</b>
BS317	23.16	5.34	<b>33.84</b>
OR31X1.5	31.00	1.50	<b>34.00</b>
OR30X2	30.00	2.00	<b>34.00</b>
OR29X2.5	29.00	2.50	<b>34.00</b>
OR28X3	28.00	3.00	<b>34.00</b>
OR27X3.5	27.00	3.50	<b>34.00</b>
OR26X4	26.00	4.00	<b>34.00</b>

Reference	ID	Section	OD
OR24X5	24.00	5.00	<b>34.00</b>
OR29.1X2.55	29.10	2.55	<b>34.20</b>
OR28.2X3	28.20	3.00	<b>34.20</b>
OR29.6X2.4	29.60	2.40	<b>34.40</b>
OR32X1.5	32.00	1.50	<b>35.00</b>
OR31X2	31.00	2.00	<b>35.00</b>
OR30X2.5	30.00	2.50	<b>35.00</b>
OR29X3	29.00	3.00	<b>35.00</b>
OR28X3.5	28.00	3.50	<b>35.00</b>
OR27.8X3.6	27.80	3.60	<b>35.00</b>
OR27X4	27.00	4.00	<b>35.00</b>
OR25X5	25.00	5.00	<b>35.00</b>
BS026	31.47	1.78	<b>35.03</b>
BS123	29.83	2.62	<b>35.07</b>
OR30.3X2.4	30.30	2.40	<b>35.10</b>
OR29.2X3	29.20	3.00	<b>35.20</b>
BS216	28.17	3.53	<b>35.23</b>
OR32.1X1.6	32.10	1.60	<b>35.30</b>
BS318	24.77	5.34	<b>35.45</b>
OR29.5X3	29.50	3.00	<b>35.50</b>
BS916	29.74	2.95	<b>35.64</b>
OR33X1.5	33.00	1.50	<b>36.00</b>
OR32X2	32.00	2.00	<b>36.00</b>
OR31X2.5	31.00	2.50	<b>36.00</b>
OR30X3	30.00	3.00	<b>36.00</b>
OR29X3.5	29.00	3.50	<b>36.00</b>
OR28X4	28.00	4.00	<b>36.00</b>
OR26X5	26.00	5.00	<b>36.00</b>
OR30.2X3	30.20	3.00	<b>36.20</b>
OR31.6X2.4	31.60	2.40	<b>36.40</b>
OR29.3X3.6	29.30	3.60	<b>36.50</b>
BS027	33.05	1.78	<b>36.61</b>
BS124	31.42	2.62	<b>36.66</b>
BS217	29.75	3.53	<b>36.81</b>
OR34X1.5	34.00	1.50	<b>37.00</b>
OR33X2	33.00	2.00	<b>37.00</b>
OR32X2.5	32.00	2.50	<b>37.00</b>
OR31X3	31.00	3.00	<b>37.00</b>
OR30X3.5	30.00	3.50	<b>37.00</b>
OR29X4	29.00	4.00	<b>37.00</b>
OR27X5	27.00	5.00	<b>37.00</b>
BS319	26.34	5.34	<b>37.02</b>
OR31.2X3	31.20	3.00	<b>37.20</b>
OR31.5X3	31.50	3.00	<b>37.50</b>
OR35X1.5	35.00	1.50	<b>38.00</b>
OR34X2	34.00	2.00	<b>38.00</b>
OR33X2.5	33.00	2.50	<b>38.00</b>
OR32X3	32.00	3.00	<b>38.00</b>
OR31X3.5	31.00	3.50	<b>38.00</b>
OR30.8X3.6	30.80	3.60	<b>38.00</b>
OR30X4	30.00	4.00	<b>38.00</b>
OR28X5	28.00	5.00	<b>38.00</b>
OR33.3X2.4	33.30	2.40	<b>38.10</b>
OR32.2X3	32.20	3.00	<b>38.20</b>
BS028	34.65	1.78	<b>38.21</b>
BS125	33.00	2.62	<b>38.24</b>

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR35.1X1.6	35.10	1.60	38.30
BS218	31.34	3.53	38.40
OR32.5X3	32.50	3.00	38.50
BS320	27.94	5.34	38.62
OR36X1.5	36.00	1.50	39.00
OR35X2	35.00	2.00	39.00
OR34X2.5	34.00	2.50	39.00
OR33X3	33.00	3.00	39.00
OR32X3.5	32.00	3.50	39.00
OR31X4	31.00	4.00	39.00
OR29X5	29.00	5.00	39.00
OR34.6X2.4	34.60	2.40	39.40
OR32.5X3.6	32.50	3.60	39.70
BS517	36.27	1.78	39.83
BS126	34.60	2.62	39.84
BS219	32.93	3.53	39.99
OR37X1.5	37.00	1.50	40.00
OR36X2	36.00	2.00	40.00
OR35X2.5	35.00	2.50	40.00
OR34X3	34.00	3.00	40.00
OR33X3.5	33.00	3.50	40.00
OR32X4	32.00	4.00	40.00
OR30X5	30.00	5.00	40.00
BS321	29.51	5.34	40.19
OR34.2X3	34.20	3.00	40.20
OR37.1X1.6	37.10	1.60	40.30
BS918	34.42	2.95	40.32
OR34.5X3	34.50	3.00	40.50
OR38X1.5	38.00	1.50	41.00
OR37X2	37.00	2.00	41.00
OR36X2.5	36.00	2.50	41.00
OR35X3	35.00	3.00	41.00
OR34X3.5	34.00	3.50	41.00
OR33X4	33.00	4.00	41.00
OR31X5	31.00	5.00	41.00
OR35.2X3	35.20	3.00	41.20
OR34.1X3.6	34.10	3.60	41.30
BS029	37.82	1.78	41.38
BS127	36.17	2.62	41.41
OR35.5X3	35.50	3.00	41.50
BS220	34.52	3.53	41.58
BS322	31.12	5.34	41.80
OR39X1.5	39.00	1.50	42.00
OR38X2	38.00	2.00	42.00
OR37X2.5	37.00	2.50	42.00
OR36X3	36.00	3.00	42.00
OR35X3.5	35.00	3.50	42.00
OR34X4	34.00	4.00	42.00
OR32X5	32.00	5.00	42.00
OR36.2X3	36.20	3.00	42.20
OR37.6X2.4	37.60	2.40	42.40
OR36.5X3	36.50	3.00	42.50
OR35.6X3.6	35.60	3.60	42.80
OR40X1.5	40.00	1.50	43.00
OR39X2	39.00	2.00	43.00
OR38X2.5	38.00	2.50	43.00

Reference	ID	Section	OD
OR37X3	37.00	3.00	43.00
OR36X3.5	36.00	3.50	43.00
OR35X4	35.00	4.00	43.00
OR33X5	33.00	5.00	43.00
BS519	39.45	1.78	43.01
BS128	37.77	2.62	43.01
BS221	36.10	3.53	43.16
OR37.2X3	37.20	3.00	43.20
BS323	32.69	5.34	43.37
BS920	37.46	3.00	43.46
OR37.5X3	37.50	3.00	43.50
OR41X1.5	41.00	1.50	44.00
OR40X2	40.00	2.00	44.00
OR39X2.5	39.00	2.50	44.00
OR38X3	38.00	3.00	44.00
OR37X3.5	37.00	3.50	44.00
OR36X4	36.00	4.00	44.00
OR34X5	34.00	5.00	44.00
OR39.6X2.4	39.60	2.40	44.40
OR37.3X3.6	37.30	3.60	44.50
BS030	41.00	1.78	44.56
BS129	39.35	2.62	44.59
BS222	37.70	3.53	44.76
BS324	34.29	5.34	44.97
OR42X1.5	42.00	1.50	45.00
OR41X2	41.00	2.00	45.00
OR40X2.5	40.00	2.50	45.00
OR39X3	39.00	3.00	45.00
OR38X3.5	38.00	3.50	45.00
OR37X4	37.00	4.00	45.00
OR35X5	35.00	5.00	45.00
OR39.2X3	39.20	3.00	45.20
OR39.5X3	39.50	3.00	45.50
OR43X1.5	43.00	1.50	46.00
OR42X2	42.00	2.00	46.00
OR41X2.5	41.00	2.50	46.00
OR40X3	40.00	3.00	46.00
OR39X3.5	39.00	3.50	46.00
OR38X4	38.00	4.00	46.00
OR36X5	36.00	5.00	46.00
BS130	40.95	2.62	46.19
OR40.2X3	40.20	3.00	46.20
OR41.6X2.4	41.60	2.40	46.40
OR35.2X5.7	35.20	5.70	46.60
BS824	39.70	3.53	46.76
OR44X1.5	44.00	1.50	47.00
OR43X2	43.00	2.00	47.00
OR42X2.5	42.00	2.50	47.00
OR41X3	41.00	3.00	47.00
OR40X3.5	40.00	3.50	47.00
OR39X4	39.00	4.00	47.00
OR37X5	37.00	5.00	47.00
OR41.5X3	41.50	3.00	47.50
OR36.2X5.7	36.20	5.70	47.60
BS031	44.17	1.78	47.73
BS131	42.52	2.62	47.76

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
BS223	40.87	3.53	47.93
OR45X1.5	45.00	1.50	48.00
OR44X2	44.00	2.00	48.00
OR43X2.5	43.00	2.50	48.00
OR42X3	42.00	3.00	48.00
OR41X3.5	41.00	3.50	48.00
OR40X4	40.00	4.00	48.00
OR38X5	38.00	5.00	48.00
BS325	37.47	5.34	48.15
OR42.2X3	42.20	3.00	48.20
BS825	41.28	3.53	48.34
OR42.5X3	42.50	3.00	48.50
OR37.2X5.7	37.20	5.70	48.60
OR46X1.5	46.00	1.50	49.00
OR45X2	45.00	2.00	49.00
OR44X2.5	44.00	2.50	49.00
OR43X3	43.00	3.00	49.00
OR42X3.5	42.00	3.50	49.00
OR41X4	41.00	4.00	49.00
OR39X5	39.00	5.00	49.00
BS132	44.12	2.62	49.36
OR44.6X2.4	44.60	2.40	49.40
BS924	43.70	3.00	49.70
BS826	42.86	3.53	49.92
OR47X1.5	47.00	1.50	50.00
OR46X2	46.00	2.00	50.00
OR45X2.5	45.00	2.50	50.00
OR44X3	44.00	3.00	50.00
OR43X3.5	43.00	3.50	50.00
OR42X4	42.00	4.00	50.00
OR40X5	40.00	5.00	50.00
OR44.2X3	44.20	3.00	50.20
OR44.5X3	44.50	3.00	50.50
OR43.4X3.6	43.40	3.60	50.60
OR39.2X5.7	39.20	5.70	50.60
BS032	47.37	1.78	50.93
BS133	45.70	2.62	50.94
OR48X1.5	48.00	1.50	51.00
OR47X2	47.00	2.00	51.00
OR46X2.5	46.00	2.50	51.00
OR45X3	45.00	3.00	51.00
OR44X3.5	44.00	3.50	51.00
OR43X4	43.00	4.00	51.00
OR41X5	41.00	5.00	51.00
BS224	44.05	3.53	51.11
OR45.2X3	45.20	3.00	51.20
BS326	40.65	5.34	51.33
BS827	44.45	3.53	51.51
OR49X1.5	49.00	1.50	52.00
OR48X2	48.00	2.00	52.00
OR47X2.5	47.00	2.50	52.00
OR46X3	46.00	3.00	52.00
OR45X3.5	45.00	3.50	52.00
OR44X4	44.00	4.00	52.00
OR42X5	42.00	5.00	52.00
OR41.4X5.3	41.40	5.30	52.00

Reference	ID	Section	OD
OR46.2X3	46.20	3.00	52.20
OR47.6X2.4	47.60	2.40	52.40
BS134	47.30	2.62	52.54
OR41.2X5.7	41.20	5.70	52.60
OR50X1.5	50.00	1.50	53.00
OR49X2	49.00	2.00	53.00
OR48X2.5	48.00	2.50	53.00
OR47X3	47.00	3.00	53.00
OR46X3.5	46.00	3.50	53.00
OR45X4	45.00	4.00	53.00
OR43X5	43.00	5.00	53.00
BS828	46.04	3.53	53.10
OR51X1.5	51.00	1.50	54.00
OR50X2	50.00	2.00	54.00
OR49X2.5	49.00	2.50	54.00
OR48X3	48.00	3.00	54.00
OR47X3.5	47.00	3.50	54.00
OR46X4	46.00	4.00	54.00
OR44X5	44.00	5.00	54.00
BS033	50.52	1.78	54.08
BS135	48.90	2.62	54.14
BS225	47.23	3.53	54.29
OR49.6X2.4	49.60	2.40	54.40
BS327	43.82	5.34	54.50
BS829	47.62	3.53	54.68
OR52X1.5	52.00	1.50	55.00
OR51X2	51.00	2.00	55.00
OR50X2.5	50.00	2.50	55.00
OR49X3	49.00	3.00	55.00
OR48X3.5	48.00	3.50	55.00
OR47X4	47.00	4.00	55.00
OR45X5	45.00	5.00	55.00
OR49.5X3	49.50	3.00	55.50
OR44.3X5.7	44.30	5.70	55.70
BS136	50.47	2.62	55.71
OR53X1.5	53.00	1.50	56.00
OR52X2	52.00	2.00	56.00
OR51X2.5	51.00	2.50	56.00
OR50X3	50.00	3.00	56.00
OR49X3.5	49.00	3.50	56.00
OR48X4	48.00	4.00	56.00
OR46X5	46.00	5.00	56.00
OR50.2X3	50.20	3.00	56.20
BS830	49.20	3.53	56.26
OR51.6X2.4	51.60	2.40	56.40
OR45.3X5.7	45.30	5.70	56.70
OR54X1.5	54.00	1.50	57.00
OR53X2	53.00	2.00	57.00
OR52X2.5	52.00	2.50	57.00
OR51X3	51.00	3.00	57.00
OR50X3.5	50.00	3.50	57.00
OR49X4	49.00	4.00	57.00
OR47X5	47.00	5.00	57.00
BS034	53.67	1.78	57.23
BS137	52.07	2.62	57.31
BS226	50.40	3.53	57.46

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
BS328	47.00	5.34	57.68
BS831	50.80	3.53	57.86
OR55X1.5	55.00	1.50	58.00
OR54X2	54.00	2.00	58.00
OR53X2.5	53.00	2.50	58.00
OR52X3	52.00	3.00	58.00
OR51X3.5	51.00	3.50	58.00
OR50X4	50.00	4.00	58.00
OR48X5	48.00	5.00	58.00
OR47.3X5.7	47.30	5.70	58.70
BS138	53.65	2.62	58.89
OR56X1.5	56.00	1.50	59.00
OR55X2	55.00	2.00	59.00
OR54X2.5	54.00	2.50	59.00
OR53X3	53.00	3.00	59.00
OR52X3.5	52.00	3.50	59.00
OR51X4	51.00	4.00	59.00
OR49X5	49.00	5.00	59.00
BS928	53.10	3.00	59.10
OR54.6X2.4	54.60	2.40	59.40
BS832	52.40	3.53	59.46
OR57X1.5	57.00	1.50	60.00
OR56X2	56.00	2.00	60.00
OR55X2.5	55.00	2.50	60.00
OR54X3	54.00	3.00	60.00
OR53X3.5	53.00	3.50	60.00
OR52X4	52.00	4.00	60.00
OR50X5	50.00	5.00	60.00
BS035	56.87	1.78	60.43
BS139	55.25	2.62	60.49
OR54.5X3	54.50	3.00	60.50
BS227	53.57	3.53	60.63
OR49.3X5.7	49.30	5.70	60.70
BS329	50.16	5.34	60.84
OR58X1.5	58.00	1.50	61.00
OR57X2	57.00	2.00	61.00
OR56X2.5	56.00	2.50	61.00
OR55X3	55.00	3.00	61.00
OR54X3.5	54.00	3.50	61.00
OR53X4	53.00	4.00	61.00
OR51X5	51.00	5.00	61.00
BS833	53.97	3.53	61.03
OR55.2X3	55.20	3.00	61.20
OR59X1.5	59.00	1.50	62.00
OR58X2	58.00	2.00	62.00
OR57X2.5	57.00	2.50	62.00
OR56X3	56.00	3.00	62.00
OR55X3.5	55.00	3.50	62.00
OR54X4	54.00	4.00	62.00
OR52X5	52.00	5.00	62.00
BS140	56.82	2.62	62.06
OR56.2X3	56.20	3.00	62.20
OR57.6X2.4	57.60	2.40	62.40
BS834	55.56	3.53	62.62
OR51.3X5.7	51.30	5.70	62.70
OR60X1.5	60.00	1.50	63.00

Reference	ID	Section	OD
OR59X2	59.00	2.00	63.00
OR58X2.5	58.00	2.50	63.00
OR57X3	57.00	3.00	63.00
OR56X3.5	56.00	3.50	63.00
OR55X4	55.00	4.00	63.00
OR53X5	53.00	5.00	63.00
OR57.2X3	57.20	3.00	63.20
BS036	60.04	1.78	63.60
BS141	58.42	2.62	63.66
OR52.3X5.7	52.30	5.70	63.70
BS228	56.75	3.53	63.81
OR61X1.5	61.00	1.50	64.00
OR60X2	60.00	2.00	64.00
OR59X2.5	59.00	2.50	64.00
OR58X3	58.00	3.00	64.00
OR57X3.5	57.00	3.50	64.00
OR56X4	56.00	4.00	64.00
OR54X5	54.00	5.00	64.00
BS330	53.34	5.34	64.02
BS835	57.15	3.53	64.21
OR59.6X2.4	59.60	2.40	64.40
OR62X1.5	62.00	1.50	65.00
OR61X2	61.00	2.00	65.00
OR60X2.5	60.00	2.50	65.00
OR59X3	59.00	3.00	65.00
OR58X3.5	58.00	3.50	65.00
OR57X4	57.00	4.00	65.00
OR55X5	55.00	5.00	65.00
OR54.4X5.3	54.40	5.30	65.00
BS142	60.00	2.62	65.24
BS932	59.36	3.00	65.36
OR59.5X3	59.50	3.00	65.50
OR54.3X5.7	54.30	5.70	65.70
BS836	58.74	3.53	65.80
OR63X1.5	63.00	1.50	66.00
OR62X2	62.00	2.00	66.00
OR61X2.5	61.00	2.50	66.00
OR60X3	60.00	3.00	66.00
OR59X3.5	59.00	3.50	66.00
OR58X4	58.00	4.00	66.00
OR56X5	56.00	5.00	66.00
OR61.6X2.4	61.60	2.40	66.40
OR60.5X3	60.50	3.00	66.50
OR55.3X5.7	55.30	5.70	66.70
BS037	63.22	1.78	66.78
BS143	61.60	2.62	66.84
BS229	59.92	3.53	66.98
OR64X1.5	64.00	1.50	67.00
OR63X2	63.00	2.00	67.00
OR62X2.5	62.00	2.50	67.00
OR61X3	61.00	3.00	67.00
OR60X3.5	60.00	3.50	67.00
OR59X4	59.00	4.00	67.00
OR57X5	57.00	5.00	67.00
BS331	56.52	5.34	67.20
BS837	60.32	3.53	67.38

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR65X1.5	65.00	1.50	68.00
OR64X2	64.00	2.00	68.00
OR63X2.5	63.00	2.50	68.00
OR62X3	62.00	3.00	68.00
OR61X3.5	61.00	3.50	68.00
OR60X4	60.00	4.00	68.00
OR58X5	58.00	5.00	68.00
OR62.2X3	62.20	3.00	68.20
BS144	63.17	2.62	68.41
OR57.3X5.7	57.30	5.70	68.70
BS838	61.90	3.53	68.96
OR66X1.5	66.00	1.50	69.00
OR65X2	65.00	2.00	69.00
OR64X2.5	64.00	2.50	69.00
OR63X3	63.00	3.00	69.00
OR62X3.5	62.00	3.50	69.00
OR61X4	61.00	4.00	69.00
OR59X5	59.00	5.00	69.00
OR64.6X2.4	64.60	2.40	69.40
BS038	66.40	1.78	69.96
OR67X1.5	67.00	1.50	70.00
OR66X2	66.00	2.00	70.00
OR65X2.5	65.00	2.50	70.00
OR64X3	64.00	3.00	70.00
OR63X3.5	63.00	3.50	70.00
OR62X4	62.00	4.00	70.00
OR60X5	60.00	5.00	70.00
BS145	64.77	2.62	70.01
BS230	63.10	3.53	70.16
BS332	59.70	5.34	70.38
OR64.5X3	64.50	3.00	70.50
BS839	63.50	3.53	70.56
OR59.3X5.7	59.30	5.70	70.70
OR68X1.5	68.00	1.50	71.00
OR67X2	67.00	2.00	71.00
OR66X2.5	66.00	2.50	71.00
OR65X3	65.00	3.00	71.00
OR64X3.5	64.00	3.50	71.00
OR63X4	63.00	4.00	71.00
OR61X5	61.00	5.00	71.00
BS146	66.35	2.62	71.59
OR69X1.5	69.00	1.50	72.00
OR68X2	68.00	2.00	72.00
OR67X2.5	67.00	2.50	72.00
OR66X3	66.00	3.00	72.00
OR65X3.5	65.00	3.50	72.00
OR64X4	64.00	4.00	72.00
OR62X5	62.00	5.00	72.00
BS840	65.10	3.53	72.16
OR67.6X2.4	67.60	2.40	72.40
OR61.3X5.7	61.30	5.70	72.70
OR70X1.5	70.00	1.50	73.00
OR69X2	69.00	2.00	73.00
OR68X2.5	68.00	2.50	73.00
OR67X3	67.00	3.00	73.00
OR66X3.5	66.00	3.50	73.00

Reference	ID	Section	OD
OR65X4	65.00	4.00	73.00
OR63X5	63.00	5.00	73.00
BS039	69.57	1.78	73.13
BS147	67.95	2.62	73.19
BS231	66.27	3.53	73.33
BS333	62.87	5.34	73.55
OR62.3X5.7	62.30	5.70	73.70
BS841	66.67	3.53	73.73
OR71X1.5	71.00	1.50	74.00
OR70X2	70.00	2.00	74.00
OR69X2.5	69.00	2.50	74.00
OR68X3	68.00	3.00	74.00
OR67X3.5	67.00	3.50	74.00
OR66X4	66.00	4.00	74.00
OR64X5	64.00	5.00	74.00
OR69.6X2.4	69.60	2.40	74.40
BS148	69.52	2.62	74.76
OR72X1.5	72.00	1.50	75.00
OR71X2	71.00	2.00	75.00
OR70X2.5	70.00	2.50	75.00
OR69X3	69.00	3.00	75.00
OR68X3.5	68.00	3.50	75.00
OR67X4	67.00	4.00	75.00
OR65X5	65.00	5.00	75.00
BS842	68.26	3.53	75.32
OR69.5X3	69.50	3.00	75.50
OR64.3X5.7	64.30	5.70	75.70
OR73X1.5	73.00	1.50	76.00
OR72X2	72.00	2.00	76.00
OR71X2.5	71.00	2.50	76.00
OR70X3	70.00	3.00	76.00
OR69X3.5	69.00	3.50	76.00
OR68X4	68.00	4.00	76.00
OR66X5	66.00	5.00	76.00
BS040	72.76	1.78	76.32
BS149	71.12	2.62	76.36
BS232	69.44	3.53	76.50
BS334	66.04	5.34	76.72
BS843	69.85	3.53	76.91
OR74X1.5	74.00	1.50	77.00
OR73X2	73.00	2.00	77.00
OR72X2.5	72.00	2.50	77.00
OR71X3	71.00	3.00	77.00
OR70X3.5	70.00	3.50	77.00
OR69X4	69.00	4.00	77.00
OR67X5	67.00	5.00	77.00
BS150	72.70	2.62	77.94
OR75X1.5	75.00	1.50	78.00
OR74X2	74.00	2.00	78.00
OR73X2.5	73.00	2.50	78.00
OR72X3	72.00	3.00	78.00
OR71X3.5	71.00	3.50	78.00
OR70X4	70.00	4.00	78.00
OR68X5	68.00	5.00	78.00
BS844	71.44	3.53	78.50
OR67.3X5.7	67.30	5.70	78.70



**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR76X1.5	76.00	1.50	<b>79.00</b>
OR75X2	75.00	2.00	<b>79.00</b>
OR74X2.5	74.00	2.50	<b>79.00</b>
OR73X3	73.00	3.00	<b>79.00</b>
OR72X3.5	72.00	3.50	<b>79.00</b>
OR71X4	71.00	4.00	<b>79.00</b>
OR69X5	69.00	5.00	<b>79.00</b>
<b>BS041</b>	<b>75.94</b>	<b>1.78</b>	<b>79.50</b>
<b>BS640</b>	<b>74.30</b>	<b>2.62</b>	<b>79.54</b>
<b>BS233</b>	<b>72.62</b>	<b>3.53</b>	<b>79.68</b>
<b>BS335</b>	<b>69.22</b>	<b>5.34</b>	<b>79.90</b>
OR77X1.5	77.00	1.50	<b>80.00</b>
OR76X2	76.00	2.00	<b>80.00</b>
OR75X2.5	75.00	2.50	<b>80.00</b>
OR74X3	74.00	3.00	<b>80.00</b>
OR73X3.5	73.00	3.50	<b>80.00</b>
OR72X4	72.00	4.00	<b>80.00</b>
OR70X5	70.00	5.00	<b>80.00</b>
<b>BS845</b>	<b>73.02</b>	<b>3.53</b>	<b>80.08</b>
<b>OR74.5X3</b>	<b>74.50</b>	<b>3.00</b>	<b>80.50</b>
<b>OR69.3X5.7</b>	<b>69.30</b>	<b>5.70</b>	<b>80.70</b>
OR78X1.5	78.00	1.50	<b>81.00</b>
OR77X2	77.00	2.00	<b>81.00</b>
OR76X2.5	76.00	2.50	<b>81.00</b>
OR75X3	75.00	3.00	<b>81.00</b>
OR74X3.5	74.00	3.50	<b>81.00</b>
OR73X4	73.00	4.00	<b>81.00</b>
OR71X5	71.00	5.00	<b>81.00</b>
<b>BS151</b>	<b>75.88</b>	<b>2.62</b>	<b>81.12</b>
<b>BS846</b>	<b>74.60</b>	<b>3.53</b>	<b>81.66</b>
OR79X1.5	79.00	1.50	<b>82.00</b>
OR78X2	78.00	2.00	<b>82.00</b>
OR77X2.5	77.00	2.50	<b>82.00</b>
OR76X3	76.00	3.00	<b>82.00</b>
OR75X3.5	75.00	3.50	<b>82.00</b>
OR74X4	74.00	4.00	<b>82.00</b>
OR72X5	72.00	5.00	<b>82.00</b>
<b>BS532</b>	<b>79.00</b>	<b>1.78</b>	<b>82.56</b>
<b>OR71.3X5.7</b>	<b>71.30</b>	<b>5.70</b>	<b>82.70</b>
<b>BS641</b>	<b>77.50</b>	<b>2.62</b>	<b>82.74</b>
<b>BS234</b>	<b>75.80</b>	<b>3.53</b>	<b>82.86</b>
OR80X1.5	80.00	1.50	<b>83.00</b>
OR79X2	79.00	2.00	<b>83.00</b>
OR78X2.5	78.00	2.50	<b>83.00</b>
OR77X3	77.00	3.00	<b>83.00</b>
OR76X3.5	76.00	3.50	<b>83.00</b>
OR75X4	75.00	4.00	<b>83.00</b>
OR73X5	73.00	5.00	<b>83.00</b>
<b>BS336</b>	<b>72.40</b>	<b>5.34</b>	<b>83.08</b>
<b>OR72.3X5.7</b>	<b>72.30</b>	<b>5.70</b>	<b>83.70</b>
OR81X1.5	81.00	1.50	<b>84.00</b>
OR80X2	80.00	2.00	<b>84.00</b>
OR79X2.5	79.00	2.50	<b>84.00</b>
OR78X3	78.00	3.00	<b>84.00</b>
OR77X3.5	77.00	3.50	<b>84.00</b>
OR76X4	76.00	4.00	<b>84.00</b>

Reference	ID	Section	OD
OR82X1.5	82.00	1.50	<b>85.00</b>
OR81X2	81.00	2.00	<b>85.00</b>
OR80X2.5	80.00	2.50	<b>85.00</b>
OR79X3	79.00	3.00	<b>85.00</b>
OR78X3.5	78.00	3.50	<b>85.00</b>
OR77X4	77.00	4.00	<b>85.00</b>
OR75X5	75.00	5.00	<b>85.00</b>
<b>BS619</b>	<b>74.63</b>	<b>5.34</b>	<b>85.31</b>
<b>OR79.5X3</b>	<b>79.50</b>	<b>3.00</b>	<b>85.50</b>
<b>OR74.3X5.7</b>	<b>74.30</b>	<b>5.70</b>	<b>85.70</b>
<b>BS042</b>	<b>82.28</b>	<b>1.78</b>	<b>85.84</b>
<b>BS642</b>	<b>80.60</b>	<b>2.62</b>	<b>85.84</b>
OR83X1.5	83.00	1.50	<b>86.00</b>
OR82X2	82.00	2.00	<b>86.00</b>
OR81X2.5	81.00	2.50	<b>86.00</b>
OR80X3	80.00	3.00	<b>86.00</b>
OR79X3.5	79.00	3.50	<b>86.00</b>
OR78X4	78.00	4.00	<b>86.00</b>
OR76X5	76.00	5.00	<b>86.00</b>
<b>BS235</b>	<b>78.97</b>	<b>3.53</b>	<b>86.03</b>
<b>BS337</b>	<b>75.57</b>	<b>5.34</b>	<b>86.25</b>
OR84X1.5	84.00	1.50	<b>87.00</b>
OR83X2	83.00	2.00	<b>87.00</b>
OR82X2.5	82.00	2.50	<b>87.00</b>
OR81X3	81.00	3.00	<b>87.00</b>
OR80X3.5	80.00	3.50	<b>87.00</b>
OR79X4	79.00	4.00	<b>87.00</b>
OR77X5	77.00	5.00	<b>87.00</b>
<b>BS152</b>	<b>82.22</b>	<b>2.62</b>	<b>87.46</b>
OR85X1.5	85.00	1.50	<b>88.00</b>
OR84X2	84.00	2.00	<b>88.00</b>
OR83X2.5	83.00	2.50	<b>88.00</b>
OR82X3	82.00	3.00	<b>88.00</b>
OR81X3.5	81.00	3.50	<b>88.00</b>
OR80X4	80.00	4.00	<b>88.00</b>
OR78X5	78.00	5.00	<b>88.00</b>
<b>OR77.3X5.7</b>	<b>77.30</b>	<b>5.70</b>	<b>88.70</b>
<b>BS534</b>	<b>85.34</b>	<b>1.78</b>	<b>88.90</b>
OR86X1.5	86.00	1.50	<b>89.00</b>
OR85X2	85.00	2.00	<b>89.00</b>
OR84X2.5	84.00	2.50	<b>89.00</b>
OR83X3	83.00	3.00	<b>89.00</b>
OR82X3.5	82.00	3.50	<b>89.00</b>
OR81X4	81.00	4.00	<b>89.00</b>
OR79X5	79.00	5.00	<b>89.00</b>
<b>BS643</b>	<b>83.80</b>	<b>2.62</b>	<b>89.04</b>
<b>BS236</b>	<b>82.14</b>	<b>3.53</b>	<b>89.20</b>
<b>BS338</b>	<b>78.74</b>	<b>5.34</b>	<b>89.42</b>
OR87X1.5	87.00	1.50	<b>90.00</b>
OR86X2	86.00	2.00	<b>90.00</b>
OR85X2.5	85.00	2.50	<b>90.00</b>
OR84X3	84.00	3.00	<b>90.00</b>
OR83X3.5	83.00	3.50	<b>90.00</b>
OR82X4	82.00	4.00	<b>90.00</b>
OR80X5	80.00	5.00	<b>90.00</b>
<b>BS620</b>	<b>79.77</b>	<b>5.34</b>	<b>90.45</b>

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR84.5X3	84.50	3.00	90.50
OR79.3X5.7	79.30	5.70	90.70
OR88X1.5	88.00	1.50	91.00
OR87X2	87.00	2.00	91.00
OR86X2.5	86.00	2.50	91.00
OR85X3	85.00	3.00	91.00
OR84X3.5	84.00	3.50	91.00
OR83X4	83.00	4.00	91.00
OR81X5	81.00	5.00	91.00
OR89X1.5	89.00	1.50	92.00
OR88X2	88.00	2.00	92.00
OR87X2.5	87.00	2.50	92.00
OR86X3	86.00	3.00	92.00
OR85X3.5	85.00	3.50	92.00
OR84X4	84.00	4.00	92.00
OR82X5	82.00	5.00	92.00
BS043	88.64	1.78	92.20
BS237	85.32	3.53	92.38
BS339	81.92	5.34	92.60
OR81.3X5.7	81.30	5.70	92.70
OR90X1.5	90.00	1.50	93.00
OR89X2	89.00	2.00	93.00
OR88X2.5	88.00	2.50	93.00
OR87X3	87.00	3.00	93.00
OR86X3.5	86.00	3.50	93.00
OR85X4	85.00	4.00	93.00
OR83X5	83.00	5.00	93.00
OR82.3X5.7	82.30	5.70	93.70
BS153	88.58	2.62	93.82
OR91X1.5	91.00	1.50	94.00
OR90X2	90.00	2.00	94.00
OR89X2.5	89.00	2.50	94.00
OR88X3	88.00	3.00	94.00
OR87X3.5	87.00	3.50	94.00
OR86X4	86.00	4.00	94.00
OR84X5	84.00	5.00	94.00
OR92X1.5	92.00	1.50	95.00
OR91X2	91.00	2.00	95.00
OR90X2.5	90.00	2.50	95.00
OR89X3	89.00	3.00	95.00
OR88X3.5	88.00	3.50	95.00
OR87X4	87.00	4.00	95.00
OR85X5	85.00	5.00	95.00
BS536	91.70	1.78	95.26
OR89.5X3	89.50	3.00	95.50
BS238	88.50	3.53	95.56
OR84.3X5.7	84.30	5.70	95.70
BS340	85.10	5.34	95.78
OR93X1.5	93.00	1.50	96.00
OR92X2	92.00	2.00	96.00
OR91X2.5	91.00	2.50	96.00
OR90X3	90.00	3.00	96.00
OR89X3.5	89.00	3.50	96.00
OR88X4	88.00	4.00	96.00
OR86X5	86.00	5.00	96.00
OR94X1.5	94.00	1.50	97.00

Reference	ID	Section	OD
OR93X2	93.00	2.00	97.00
OR92X2.5	92.00	2.50	97.00
OR91X3	91.00	3.00	97.00
OR90X3.5	90.00	3.50	97.00
OR89X4	89.00	4.00	97.00
OR87X5	87.00	5.00	97.00
OR95X1.5	95.00	1.50	98.00
OR94X2	94.00	2.00	98.00
OR93X2.5	93.00	2.50	98.00
OR92X3	92.00	3.00	98.00
OR91X3.5	91.00	3.50	98.00
OR90X4	90.00	4.00	98.00
OR88X5	88.00	5.00	98.00
BS044	95.00	1.78	98.56
OR87.3X5.7	87.30	5.70	98.70
BS239	91.67	3.53	98.73
BS341	88.27	5.34	98.95
OR96X1.5	96.00	1.50	99.00
OR95X2	95.00	2.00	99.00
OR94X2.5	94.00	2.50	99.00
OR93X3	93.00	3.00	99.00
OR92X3.5	92.00	3.50	99.00
OR91X4	91.00	4.00	99.00
OR89X5	89.00	5.00	99.00
OR97X1.5	97.00	1.50	100.00
OR96X2	96.00	2.00	100.00
OR95X2.5	95.00	2.50	100.00
OR94X3	94.00	3.00	100.00
OR93X3.5	93.00	3.50	100.00
OR92X4	92.00	4.00	100.00
OR90X5	90.00	5.00	100.00
BS154	94.93	2.62	100.17
BS621	89.69	5.34	100.37
OR94.5X3	94.50	3.00	100.50
OR89.3X5.7	89.30	5.70	100.70
OR98X1.5	98.00	1.50	101.00
OR97X2	97.00	2.00	101.00
OR96X2.5	96.00	2.50	101.00
OR95X3	95.00	3.00	101.00
OR94X3.5	94.00	3.50	101.00
OR93X4	93.00	4.00	101.00
OR91X5	91.00	5.00	101.00
BS538	98.05	1.78	101.61
BS240	94.84	3.53	101.90
OR99X1.5	99.00	1.50	102.00
OR98X2	98.00	2.00	102.00
OR97X2.5	97.00	2.50	102.00
OR96X3	96.00	3.00	102.00
OR95X3.5	95.00	3.50	102.00
OR94X4	94.00	4.00	102.00
OR92X5	92.00	5.00	102.00
BS342	91.44	5.34	102.12
OR100X1.5	100.00	1.50	103.00
OR99X2	99.00	2.00	103.00
OR98X2.5	98.00	2.50	103.00
OR97X3	97.00	3.00	103.00

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR96X3.5	96.00	3.50	103.00
OR95X4	95.00	4.00	103.00
OR93X5	93.00	5.00	103.00
OR92.3X5.7	92.30	5.70	103.70
OR100X2	100.00	2.00	104.00
OR99X2.5	99.00	2.50	104.00
OR98X3	98.00	3.00	104.00
OR97X3.5	97.00	3.50	104.00
OR96X4	96.00	4.00	104.00
OR94X5	94.00	5.00	104.00
BS045	101.34	1.78	104.90
OR100X2.5	100.00	2.50	105.00
OR99X3	99.00	3.00	105.00
OR98X3.5	98.00	3.50	105.00
OR97X4	97.00	4.00	105.00
OR95X5	95.00	5.00	105.00
BS241	98.02	3.53	105.08
BS343	94.62	5.34	105.30
OR99.5X3	99.50	3.00	105.50
OR94.3X5.7	94.30	5.70	105.70
OR101X2.5	101.00	2.50	106.00
OR100X3	100.00	3.00	106.00
OR99X3.5	99.00	3.50	106.00
OR98X4	98.00	4.00	106.00
OR96X5	96.00	5.00	106.00
BS155	101.28	2.62	106.52
OR102X2.5	102.00	2.50	107.00
OR101X3	101.00	3.00	107.00
OR100X3.5	100.00	3.50	107.00
OR99X4	99.00	4.00	107.00
OR97X5	97.00	5.00	107.00
BS540	104.40	1.78	107.96
OR103X2.5	103.00	2.50	108.00
OR102X3	102.00	3.00	108.00
OR101X3.5	101.00	3.50	108.00
OR100X4	100.00	4.00	108.00
OR98X5	98.00	5.00	108.00
BS242	101.20	3.53	108.26
BS344	97.80	5.34	108.48
OR97.3X5.7	97.30	5.70	108.70
OR104X2.5	104.00	2.50	109.00
OR103X3	103.00	3.00	109.00
OR102X3.5	102.00	3.50	109.00
OR101X4	101.00	4.00	109.00
OR99X5	99.00	5.00	109.00
OR105X2.5	105.00	2.50	110.00
OR104X3	104.00	3.00	110.00
OR103X3.5	103.00	3.50	110.00
OR102X4	102.00	4.00	110.00
OR100X5	100.00	5.00	110.00
OR104.5X3	104.50	3.00	110.50
BS622	100.00	5.34	110.68
OR99.3X5.7	99.30	5.70	110.70
OR106X2.5	106.00	2.50	111.00
OR105X3	105.00	3.00	111.00
OR104X3.5	104.00	3.50	111.00

Reference	ID	Section	OD
OR103X4	103.00	4.00	111.00
OR101X5	101.00	5.00	111.00
BS046	107.70	1.78	111.26
BS243	104.37	3.53	111.43
BS345	100.97	5.34	111.65
OR107X2.5	107.00	2.50	112.00
OR106X3	106.00	3.00	112.00
OR105X3.5	105.00	3.50	112.00
OR104X4	104.00	4.00	112.00
OR102X5	102.00	5.00	112.00
BS156	107.63	2.62	112.87
OR108X2.5	108.00	2.50	113.00
OR107X3	107.00	3.00	113.00
OR106X3.5	106.00	3.50	113.00
OR105X4	105.00	4.00	113.00
OR103X5	103.00	5.00	113.00
OR109X2.5	109.00	2.50	114.00
OR108X3	108.00	3.00	114.00
OR107X3.5	107.00	3.50	114.00
OR106X4	106.00	4.00	114.00
OR104X5	104.00	5.00	114.00
BS542	110.74	1.78	114.30
BS244	107.54	3.53	114.60
BS346	104.14	5.34	114.82
OR110X2.5	110.00	2.50	115.00
OR109X3	109.00	3.00	115.00
OR108X3.5	108.00	3.50	115.00
OR107X4	107.00	4.00	115.00
OR105X5	105.00	5.00	115.00
OR109.5X3	109.50	3.00	115.50
OR104.3X5.7	104.30	5.70	115.70
OR111X2.5	111.00	2.50	116.00
OR110X3	110.00	3.00	116.00
OR109X3.5	109.00	3.50	116.00
OR108X4	108.00	4.00	116.00
OR106X5	106.00	5.00	116.00
OR112X2.5	112.00	2.50	117.00
OR111X3	111.00	3.00	117.00
OR110X3.5	110.00	3.50	117.00
OR109X4	109.00	4.00	117.00
OR107X5	107.00	5.00	117.00
BS047	114.00	1.78	117.56
BS245	110.72	3.53	117.78
OR113X2.5	113.00	2.50	118.00
OR112X3	112.00	3.00	118.00
OR111X3.5	111.00	3.50	118.00
OR110X4	110.00	4.00	118.00
OR108X5	108.00	5.00	118.00
BS347	107.32	5.34	118.00
OR114X2.5	114.00	2.50	119.00
OR113X3	113.00	3.00	119.00
OR112X3.5	112.00	3.50	119.00
OR111X4	111.00	4.00	119.00
OR109X5	109.00	5.00	119.00
BS157	113.98	2.62	119.22
OR115X2.5	115.00	2.50	120.00

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR114X3	114.00	3.00	120.00
OR113X3.5	113.00	3.50	120.00
OR112X4	112.00	4.00	120.00
OR110X5	110.00	5.00	120.00
BS623	109.54	5.34	120.22
OR114.5X3	114.50	3.00	120.50
BS544	117.10	1.78	120.66
OR109.3X5.7	109.30	5.70	120.70
BS246	113.90	3.53	120.96
OR116X2.5	116.00	2.50	121.00
OR115X3	115.00	3.00	121.00
OR114X3.5	114.00	3.50	121.00
OR113X4	113.00	4.00	121.00
OR111X5	111.00	5.00	121.00
BS348	110.50	5.34	121.18
OR117X2.5	117.00	2.50	122.00
OR116X3	116.00	3.00	122.00
OR115X3.5	115.00	3.50	122.00
OR114X4	114.00	4.00	122.00
OR112X5	112.00	5.00	122.00
OR118X2.5	118.00	2.50	123.00
OR117X3	117.00	3.00	123.00
OR116X3.5	116.00	3.50	123.00
OR115X4	115.00	4.00	123.00
OR113X5	113.00	5.00	123.00
BS048	120.40	1.78	123.96
OR119X2.5	119.00	2.50	124.00
OR118X3	118.00	3.00	124.00
OR117X3.5	117.00	3.50	124.00
OR116X4	116.00	4.00	124.00
OR114X5	114.00	5.00	124.00
BS247	117.07	3.53	124.13
BS349	113.67	5.34	124.35
OR120X2.5	120.00	2.50	125.00
OR119X3	119.00	3.00	125.00
OR118X3.5	118.00	3.50	125.00
OR117X4	117.00	4.00	125.00
OR115X5	115.00	5.00	125.00
OR119.5X3	119.50	3.00	125.50
BS158	120.33	2.62	125.57
OR114.3X5.7	114.30	5.70	125.70
OR121X2.5	121.00	2.50	126.00
OR120X3	120.00	3.00	126.00
OR119X3.5	119.00	3.50	126.00
OR118X4	118.00	4.00	126.00
OR116X5	116.00	5.00	126.00
BS546	123.44	1.78	127.00
OR122X2.5	122.00	2.50	127.00
OR121X3	121.00	3.00	127.00
OR120X3.5	120.00	3.50	127.00
OR119X4	119.00	4.00	127.00
OR117X5	117.00	5.00	127.00
BS248	120.24	3.53	127.30
BS350	116.84	5.34	127.52
BS425	113.67	6.99	127.65
OR123X2.5	123.00	2.50	128.00

Reference	ID	Section	OD
OR122X3	122.00	3.00	128.00
OR121X3.5	121.00	3.50	128.00
OR120X4	120.00	4.00	128.00
OR118X5	118.00	5.00	128.00
BS860	117.48	5.34	128.16
BS624	114.70	6.99	128.68
OR124X2.5	124.00	2.50	129.00
OR123X3	123.00	3.00	129.00
OR122X3.5	122.00	3.50	129.00
OR121X4	121.00	4.00	129.00
OR119X5	119.00	5.00	129.00
OR125X2.5	125.00	2.50	130.00
OR124X3	124.00	3.00	130.00
OR123X3.5	123.00	3.50	130.00
OR122X4	122.00	4.00	130.00
OR120X5	120.00	5.00	130.00
BS049	126.76	1.78	130.32
BS249	123.42	3.53	130.48
OR124.5X3	124.50	3.00	130.50
BS351	120.02	5.34	130.70
OR119.3X5.7	119.30	5.70	130.70
BS426	116.84	6.99	130.82
OR126X2.5	126.00	2.50	131.00
OR125X3	125.00	3.00	131.00
OR124X3.5	124.00	3.50	131.00
OR123X4	123.00	4.00	131.00
OR121X5	121.00	5.00	131.00
BS861	120.65	5.34	131.33
BS159	126.67	2.62	131.91
OR127X2.5	127.00	2.50	132.00
OR126X3	126.00	3.00	132.00
OR125X3.5	125.00	3.50	132.00
OR124X4	124.00	4.00	132.00
OR122X5	122.00	5.00	132.00
BS548	129.40	1.78	132.96
OR128X2.5	128.00	2.50	133.00
OR127X3	127.00	3.00	133.00
OR126X3.5	126.00	3.50	133.00
OR125X4	125.00	4.00	133.00
OR123X5	123.00	5.00	133.00
BS250	126.60	3.53	133.66
BS352	123.20	5.34	133.88
OR129X2.5	129.00	2.50	134.00
OR128X3	128.00	3.00	134.00
OR127X3.5	127.00	3.50	134.00
OR126X4	126.00	4.00	134.00
OR124X5	124.00	5.00	134.00
BS427	120.02	6.99	134.00
BS862	123.83	5.34	134.51
OR130X2.5	130.00	2.50	135.00
OR129X3	129.00	3.00	135.00
OR128X3.5	128.00	3.50	135.00
OR127X4	127.00	4.00	135.00
OR125X5	125.00	5.00	135.00
OR129.5X3	129.50	3.00	135.50
OR124.3X5.7	124.30	5.70	135.70

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR131X2.5	131.00	2.50	136.00
OR130X3	130.00	3.00	136.00
OR129X3.5	129.00	3.50	136.00
OR128X4	128.00	4.00	136.00
OR126X5	126.00	5.00	136.00
BS050	133.10	1.78	136.66
BS251	129.77	3.53	136.83
OR132X2.5	132.00	2.50	137.00
OR131X3	131.00	3.00	137.00
OR130X3.5	130.00	3.50	137.00
OR129X4	129.00	4.00	137.00
OR127X5	127.00	5.00	137.00
BS353	126.37	5.34	137.05
BS428	123.20	6.99	137.18
BS863	127.00	5.34	137.68
OR133X2.5	133.00	2.50	138.00
OR132X3	132.00	3.00	138.00
OR131X3.5	131.00	3.50	138.00
OR130X4	130.00	4.00	138.00
OR128X5	128.00	5.00	138.00
BS160	133.00	2.62	138.24
BS625	124.60	6.99	138.58
OR134X2.5	134.00	2.50	139.00
OR133X3	133.00	3.00	139.00
OR132X3.5	132.00	3.50	139.00
OR131X4	131.00	4.00	139.00
OR129X5	129.00	5.00	139.00
BS550	135.76	1.78	139.32
OR135X2.5	135.00	2.50	140.00
OR134X3	134.00	3.00	140.00
OR133X3.5	133.00	3.50	140.00
BS252	132.94	3.53	140.00
OR132X4	132.00	4.00	140.00
OR130X5	130.00	5.00	140.00
BS354	129.54	5.34	140.22
BS429	126.37	6.99	140.35
OR134.5X3	134.50	3.00	140.50
OR129.3X5.7	129.30	5.70	140.70
BS864	130.18	5.34	140.86
OR136X2.5	136.00	2.50	141.00
OR135X3	135.00	3.00	141.00
OR134X3.5	134.00	3.50	141.00
OR133X4	133.00	4.00	141.00
OR131X5	131.00	5.00	141.00
OR137X2.5	137.00	2.50	142.00
OR136X3	136.00	3.00	142.00
OR135X3.5	135.00	3.50	142.00
OR134X4	134.00	4.00	142.00
OR132X5	132.00	5.00	142.00
BS551	138.94	1.78	142.50
OR138X2.5	138.00	2.50	143.00
OR137X3	137.00	3.00	143.00
OR136X3.5	136.00	3.50	143.00
OR135X4	135.00	4.00	143.00
OR133X5	133.00	5.00	143.00
BS253	136.12	3.53	143.18

Reference	ID	Section	OD
BS355	132.72	5.34	143.40
BS430	129.54	6.99	143.52
OR139X2.5	139.00	2.50	144.00
OR138X3	138.00	3.00	144.00
OR137X3.5	137.00	3.50	144.00
OR136X4	136.00	4.00	144.00
OR134X5	134.00	5.00	144.00
BS865	133.35	5.34	144.03
BS161	139.38	2.62	144.62
OR140X2.5	140.00	2.50	145.00
OR139X3	139.00	3.00	145.00
OR138X3.5	138.00	3.50	145.00
OR137X4	137.00	4.00	145.00
OR135X5	135.00	5.00	145.00
OR139.5X3	139.50	3.00	145.50
BS552	142.11	1.78	145.67
OR134.3X5.7	134.30	5.70	145.70
OR141X2.5	141.00	2.50	146.00
OR140X3	140.00	3.00	146.00
OR139X3.5	139.00	3.50	146.00
OR138X4	138.00	4.00	146.00
OR136X5	136.00	5.00	146.00
BS254	139.30	3.53	146.36
BS356	135.90	5.34	146.58
BS431	132.72	6.99	146.70
OR142X2.5	142.00	2.50	147.00
OR141X3	141.00	3.00	147.00
OR140X3.5	140.00	3.50	147.00
OR139X4	139.00	4.00	147.00
OR137X5	137.00	5.00	147.00
BS866	136.53	5.34	147.21
OR143X2.5	143.00	2.50	148.00
OR142X3	142.00	3.00	148.00
OR141X3.5	141.00	3.50	148.00
OR140X4	140.00	4.00	148.00
OR138X5	138.00	5.00	148.00
BS626	134.50	6.99	148.48
BS553	145.29	1.78	148.85
OR144X2.5	144.00	2.50	149.00
OR143X3	143.00	3.00	149.00
OR142X3.5	142.00	3.50	149.00
OR141X4	141.00	4.00	149.00
OR139X5	139.00	5.00	149.00
BS255	142.47	3.53	149.53
BS357	139.07	5.34	149.75
BS432	135.90	6.99	149.88
OR145X2.5	145.00	2.50	150.00
OR144X3	144.00	3.00	150.00
OR143X3.5	143.00	3.50	150.00
OR142X4	142.00	4.00	150.00
OR140X5	140.00	5.00	150.00
BS867	139.70	5.34	150.38
OR144.5X3	144.50	3.00	150.50
OR139.3X5.7	139.30	5.70	150.70
BS162	145.73	2.62	150.97
OR146X2.5	146.00	2.50	151.00

**EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER**



Reference	ID	Section	OD
OR145X3	145.00	3.00	151.00
OR144X3.5	144.00	3.50	151.00
OR143X4	143.00	4.00	151.00
OR141X5	141.00	5.00	151.00
OR147X2.5	147.00	2.50	152.00
OR146X3	146.00	3.00	152.00
OR145X3.5	145.00	3.50	152.00
OR144X4	144.00	4.00	152.00
OR142X5	142.00	5.00	152.00
<b>BS554</b>	<b>148.46</b>	<b>1.78</b>	<b>152.02</b>
<b>BS256</b>	<b>145.65</b>	<b>3.53</b>	<b>152.71</b>
<b>BS358</b>	<b>142.24</b>	<b>5.34</b>	<b>152.92</b>
OR148X2.5	148.00	2.50	153.00
OR147X3	147.00	3.00	153.00
OR146X3.5	146.00	3.50	153.00
OR145X4	145.00	4.00	153.00
OR143X5	143.00	5.00	153.00
<b>BS433</b>	<b>139.07</b>	<b>6.99</b>	<b>153.05</b>
<b>BS868</b>	<b>142.88</b>	<b>5.34</b>	<b>153.56</b>
OR149X2.5	149.00	2.50	154.00
OR148X3	148.00	3.00	154.00
OR147X3.5	147.00	3.50	154.00
OR146X4	146.00	4.00	154.00
OR144X5	144.00	5.00	154.00
OR150X2.5	150.00	2.50	155.00
OR149X3	149.00	3.00	155.00
OR148X3.5	148.00	3.50	155.00
OR147X4	147.00	4.00	155.00
OR145X5	145.00	5.00	155.00
<b>BS555</b>	<b>151.64</b>	<b>1.78</b>	<b>155.20</b>
<b>OR149.5X3</b>	<b>149.50</b>	<b>3.00</b>	<b>155.50</b>
<b>OR144.3X5.7</b>	<b>144.30</b>	<b>5.70</b>	<b>155.70</b>
<b>BS257</b>	<b>148.82</b>	<b>3.53</b>	<b>155.88</b>
OR150X3	150.00	3.00	156.00
OR149X3.5	149.00	3.50	156.00
OR148X4	148.00	4.00	156.00
OR146X5	146.00	5.00	156.00
<b>BS359</b>	<b>145.42</b>	<b>5.34</b>	<b>156.10</b>
<b>BS434</b>	<b>142.24</b>	<b>6.99</b>	<b>156.22</b>
<b>BS869</b>	<b>146.05</b>	<b>5.34</b>	<b>156.73</b>
OR151X3	151.00	3.00	157.00
OR150X3.5	150.00	3.50	157.00
OR149X4	149.00	4.00	157.00
OR147X5	147.00	5.00	157.00
<b>BS163</b>	<b>152.07</b>	<b>2.62</b>	<b>157.31</b>
OR152X3	152.00	3.00	158.00
OR151X3.5	151.00	3.50	158.00
OR150X4	150.00	4.00	158.00
OR148X5	148.00	5.00	158.00
<b>BS556</b>	<b>154.81</b>	<b>1.78</b>	<b>158.37</b>
OR153X3	153.00	3.00	159.00
OR152X3.5	152.00	3.50	159.00
OR151X4	151.00	4.00	159.00
OR149X5	149.00	5.00	159.00
<b>BS258</b>	<b>152.00</b>	<b>3.53</b>	<b>159.06</b>
<b>BS360</b>	<b>148.60</b>	<b>5.34</b>	<b>159.28</b>

Reference	ID	Section	OD
<b>BS435</b>	<b>145.42</b>	<b>6.99</b>	<b>159.40</b>
<b>BS870</b>	<b>149.23</b>	<b>5.34</b>	<b>159.91</b>
OR154X3	154.00	3.00	160.00
OR153X3.5	153.00	3.50	160.00
OR152X4	152.00	4.00	160.00
OR150X5	150.00	5.00	160.00
<b>OR154.5X3</b>	<b>154.50</b>	<b>3.00</b>	<b>160.50</b>
<b>OR149.3X5.7</b>	<b>149.30</b>	<b>5.70</b>	<b>160.70</b>
<b>OR144.1X8.4</b>	<b>144.10</b>	<b>8.40</b>	<b>160.90</b>
OR155X3	155.00	3.00	161.00
OR154X3.5	154.00	3.50	161.00
OR153X4	153.00	4.00	161.00
OR151X5	151.00	5.00	161.00
<b>BS557</b>	<b>158.00</b>	<b>1.78</b>	<b>161.56</b>
OR156X3	156.00	3.00	162.00
OR155X3.5	155.00	3.50	162.00
OR154X4	154.00	4.00	162.00
OR152X5	152.00	5.00	162.00
<b>BS361</b>	<b>151.77</b>	<b>5.34</b>	<b>162.45</b>
<b>BS436</b>	<b>148.60</b>	<b>6.99</b>	<b>162.58</b>
OR157X3	157.00	3.00	163.00
OR156X3.5	156.00	3.50	163.00
OR155X4	155.00	4.00	163.00
OR153X5	153.00	5.00	163.00
<b>BS164</b>	<b>158.43</b>	<b>2.62</b>	<b>163.67</b>
OR158X3	158.00	3.00	164.00
OR157X3.5	157.00	3.50	164.00
OR156X4	156.00	4.00	164.00
OR154X5	154.00	5.00	164.00
<b>BS558</b>	<b>161.16</b>	<b>1.78</b>	<b>164.72</b>
OR159X3	159.00	3.00	165.00
OR158X3.5	158.00	3.50	165.00
OR157X4	157.00	4.00	165.00
OR155X5	155.00	5.00	165.00
<b>BS259</b>	<b>158.35</b>	<b>3.53</b>	<b>165.41</b>
<b>OR159.5X3</b>	<b>159.50</b>	<b>3.00</b>	<b>165.50</b>
<b>BS644</b>	<b>155.00</b>	<b>5.34</b>	<b>165.68</b>
<b>OR154.3X5.7</b>	<b>154.30</b>	<b>5.70</b>	<b>165.70</b>
<b>BS437</b>	<b>151.77</b>	<b>6.99</b>	<b>165.75</b>
<b>OR149.1X8.4</b>	<b>149.10</b>	<b>8.40</b>	<b>165.90</b>
OR160X3	160.00	3.00	166.00
OR159X3.5	159.00	3.50	166.00
OR158X4	158.00	4.00	166.00
OR156X5	156.00	5.00	166.00
OR161X3	161.00	3.00	167.00
OR160X3.5	160.00	3.50	167.00
OR159X4	159.00	4.00	167.00
OR157X5	157.00	5.00	167.00
<b>BS559</b>	<b>164.34</b>	<b>1.78</b>	<b>167.90</b>
OR162X3	162.00	3.00	168.00
OR161X3.5	161.00	3.50	168.00
OR160X4	160.00	4.00	168.00
OR158X5	158.00	5.00	168.00
<b>BS362</b>	<b>158.12</b>	<b>5.34</b>	<b>168.80</b>
OR163X3	163.00	3.00	169.00
OR162X3.5	162.00	3.50	169.00

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR161X4	161.00	4.00	169.00
OR159X5	159.00	5.00	169.00
<b>BS872</b>	<b>155.60</b>	<b>6.99</b>	<b>169.58</b>
OR164X3	164.00	3.00	170.00
OR163X3.5	163.00	3.50	170.00
OR162X4	162.00	4.00	170.00
OR160X5	160.00	5.00	170.00
<b>BS165</b>	<b>164.78</b>	<b>2.62</b>	<b>170.02</b>
<b>OR164.5X3</b>	<b>164.50</b>	<b>3.00</b>	<b>170.50</b>
<b>OR159.3X5.7</b>	<b>159.30</b>	<b>5.70</b>	<b>170.70</b>
<b>OR154.1X8.4</b>	<b>154.10</b>	<b>8.40</b>	<b>170.90</b>
OR165X3	165.00	3.00	171.00
OR164X3.5	164.00	3.50	171.00
OR163X4	163.00	4.00	171.00
OR161X5	161.00	5.00	171.00
<b>BS560</b>	<b>167.51</b>	<b>1.78</b>	<b>171.07</b>
<b>BS260</b>	<b>164.70</b>	<b>3.53</b>	<b>171.76</b>
<b>BS645</b>	<b>161.30</b>	<b>5.34</b>	<b>171.98</b>
OR166X3	166.00	3.00	172.00
OR165X3.5	165.00	3.50	172.00
OR164X4	164.00	4.00	172.00
OR162X5	162.00	5.00	172.00
<b>BS438</b>	<b>158.12</b>	<b>6.99</b>	<b>172.10</b>
OR167X3	167.00	3.00	173.00
OR166X3.5	166.00	3.50	173.00
OR165X4	165.00	4.00	173.00
OR163X5	163.00	5.00	173.00
<b>BS627</b>	<b>159.50</b>	<b>6.99</b>	<b>173.48</b>
OR168X3	168.00	3.00	174.00
OR167X3.5	167.00	3.50	174.00
OR166X4	166.00	4.00	174.00
OR164X5	164.00	5.00	174.00
<b>BS561</b>	<b>170.69</b>	<b>1.78</b>	<b>174.25</b>
OR169X3	169.00	3.00	175.00
OR168X3.5	168.00	3.50	175.00
OR167X4	167.00	4.00	175.00
OR165X5	165.00	5.00	175.00
<b>BS363</b>	<b>164.47</b>	<b>5.34</b>	<b>175.15</b>
<b>OR169.5X3</b>	<b>169.50</b>	<b>3.00</b>	<b>175.50</b>
<b>OR164.3X5.7</b>	<b>164.30</b>	<b>5.70</b>	<b>175.70</b>
<b>BS874</b>	<b>161.90</b>	<b>6.99</b>	<b>175.88</b>
<b>OR159.1X8.4</b>	<b>159.10</b>	<b>8.40</b>	<b>175.90</b>
OR170X3	170.00	3.00	176.00
OR169X3.5	169.00	3.50	176.00
OR168X4	168.00	4.00	176.00
OR166X5	166.00	5.00	176.00
<b>BS166</b>	<b>171.13</b>	<b>2.62</b>	<b>176.37</b>
OR171X3	171.00	3.00	177.00
OR170X3.5	170.00	3.50	177.00
OR169X4	169.00	4.00	177.00
OR167X5	167.00	5.00	177.00
<b>BS562</b>	<b>173.87</b>	<b>1.78</b>	<b>177.43</b>
OR172X3	172.00	3.00	178.00
OR171X3.5	171.00	3.50	178.00
OR170X4	170.00	4.00	178.00
OR168X5	168.00	5.00	178.00

Reference	ID	Section	OD
<b>BS261</b>	<b>171.05</b>	<b>3.53</b>	<b>178.11</b>
<b>BS646</b>	<b>167.70</b>	<b>5.34</b>	<b>178.38</b>
<b>BS439</b>	<b>164.47</b>	<b>6.99</b>	<b>178.45</b>
OR173X3	173.00	3.00	179.00
OR172X3.5	172.00	3.50	179.00
OR171X4	171.00	4.00	179.00
OR169X5	169.00	5.00	179.00
OR174X3	174.00	3.00	180.00
OR173X3.5	173.00	3.50	180.00
OR172X4	172.00	4.00	180.00
OR170X5	170.00	5.00	180.00
<b>OR174.5X3</b>	<b>174.50</b>	<b>3.00</b>	<b>180.50</b>
<b>BS628</b>	<b>166.70</b>	<b>6.99</b>	<b>180.68</b>
<b>OR169.3X5.7</b>	<b>169.30</b>	<b>5.70</b>	<b>180.70</b>
<b>OR164.1X8.4</b>	<b>164.10</b>	<b>8.40</b>	<b>180.90</b>
OR175X3	175.00	3.00	181.00
OR174X3.5	174.00	3.50	181.00
OR173X4	173.00	4.00	181.00
OR171X5	171.00	5.00	181.00
<b>BS364</b>	<b>170.82</b>	<b>5.34</b>	<b>181.50</b>
OR176X3	176.00	3.00	182.00
OR175X3.5	175.00	3.50	182.00
OR174X4	174.00	4.00	182.00
OR172X5	172.00	5.00	182.00
<b>BS876</b>	<b>168.30</b>	<b>6.99</b>	<b>182.28</b>
<b>BS167</b>	<b>177.48</b>	<b>2.62</b>	<b>182.72</b>
OR177X3	177.00	3.00	183.00
OR176X3.5	176.00	3.50	183.00
OR175X4	175.00	4.00	183.00
OR173X5	173.00	5.00	183.00
OR178X3	178.00	3.00	184.00
OR177X3.5	177.00	3.50	184.00
OR176X4	176.00	4.00	184.00
OR174X5	174.00	5.00	184.00
<b>BS262</b>	<b>177.40</b>	<b>3.53</b>	<b>184.46</b>
<b>BS647</b>	<b>174.00</b>	<b>5.34</b>	<b>184.68</b>
<b>BS440</b>	<b>170.82</b>	<b>6.99</b>	<b>184.80</b>
OR179X3	179.00	3.00	185.00
OR178X3.5	178.00	3.50	185.00
OR177X4	177.00	4.00	185.00
OR175X5	175.00	5.00	185.00
<b>OR179.5X3</b>	<b>179.50</b>	<b>3.00</b>	<b>185.50</b>
<b>OR174.3X5.7</b>	<b>174.30</b>	<b>5.70</b>	<b>185.70</b>
<b>OR169.1X8.4</b>	<b>169.10</b>	<b>8.40</b>	<b>185.90</b>
OR180X3	180.00	3.00	186.00
OR179X3.5	179.00	3.50	186.00
OR178X4	178.00	4.00	186.00
OR176X5	176.00	5.00	186.00
OR181X3	181.00	3.00	187.00
OR180X3.5	180.00	3.50	187.00
OR179X4	179.00	4.00	187.00
OR177X5	177.00	5.00	187.00
<b>BS365</b>	<b>177.17</b>	<b>5.34</b>	<b>187.85</b>
OR182X3	182.00	3.00	188.00
OR181X3.5	181.00	3.50	188.00
OR180X4	180.00	4.00	188.00

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR178X5	178.00	5.00	188.00
<b>BS878</b>	<b>174.60</b>	<b>6.99</b>	<b>188.58</b>
OR183X3	183.00	3.00	189.00
OR182X3.5	182.00	3.50	189.00
OR181X4	181.00	4.00	189.00
OR179X5	179.00	5.00	189.00
<b>BS168</b>	<b>183.83</b>	<b>2.62</b>	<b>189.07</b>
OR184X3	184.00	3.00	190.00
OR183X3.5	183.00	3.50	190.00
OR182X4	182.00	4.00	190.00
OR180X5	180.00	5.00	190.00
<b>OR184.5X3</b>	<b>184.50</b>	<b>3.00</b>	<b>190.50</b>
<b>OR179.3X5.7</b>	<b>179.30</b>	<b>5.70</b>	<b>190.70</b>
<b>BS263</b>	<b>183.75</b>	<b>3.53</b>	<b>190.81</b>
<b>OR174.1X8.4</b>	<b>174.10</b>	<b>8.40</b>	<b>190.90</b>
OR185X3	185.00	3.00	191.00
OR184X3.5	184.00	3.50	191.00
OR183X4	183.00	4.00	191.00
OR181X5	181.00	5.00	191.00
<b>BS441</b>	<b>177.17</b>	<b>6.99</b>	<b>191.15</b>
OR186X3	186.00	3.00	192.00
OR185X3.5	185.00	3.50	192.00
OR184X4	184.00	4.00	192.00
OR182X5	182.00	5.00	192.00
OR187X3	187.00	3.00	193.00
OR186X3.5	186.00	3.50	193.00
OR185X4	185.00	4.00	193.00
OR183X5	183.00	5.00	193.00
OR188X3	188.00	3.00	194.00
OR187X3.5	187.00	3.50	194.00
OR186X4	186.00	4.00	194.00
OR184X5	184.00	5.00	194.00
<b>BS366</b>	<b>183.52</b>	<b>5.34</b>	<b>194.20</b>
<b>BS880</b>	<b>181.00</b>	<b>6.99</b>	<b>194.98</b>
OR189X3	189.00	3.00	195.00
OR188X3.5	188.00	3.50	195.00
OR187X4	187.00	4.00	195.00
OR185X5	185.00	5.00	195.00
<b>BS169</b>	<b>190.18</b>	<b>2.62</b>	<b>195.42</b>
<b>OR189.5X3</b>	<b>189.50</b>	<b>3.00</b>	<b>195.50</b>
<b>OR184.3X5.7</b>	<b>184.30</b>	<b>5.70</b>	<b>195.70</b>
<b>OR179.1X8.4</b>	<b>179.10</b>	<b>8.40</b>	<b>195.90</b>
OR190X3	190.00	3.00	196.00
OR189X3.5	189.00	3.50	196.00
OR188X4	188.00	4.00	196.00
OR186X5	186.00	5.00	196.00
OR191X3	191.00	3.00	197.00
OR190X3.5	190.00	3.50	197.00
OR189X4	189.00	4.00	197.00
OR187X5	187.00	5.00	197.00
<b>BS264</b>	<b>190.10</b>	<b>3.53</b>	<b>197.16</b>
<b>BS442</b>	<b>183.52</b>	<b>6.99</b>	<b>197.50</b>
OR192X3	192.00	3.00	198.00
OR191X3.5	191.00	3.50	198.00
OR190X4	190.00	4.00	198.00
OR188X5	188.00	5.00	198.00

Reference	ID	Section	OD
OR193X3	193.00	3.00	199.00
OR192X3.5	192.00	3.50	199.00
OR191X4	191.00	4.00	199.00
OR189X5	189.00	5.00	199.00
<b>OR193.5X3</b>	<b>193.50</b>	<b>3.00</b>	<b>199.50</b>
OR194X3	194.00	3.00	200.00
OR193X3.5	193.00	3.50	200.00
OR192X4	192.00	4.00	200.00
OR190X5	190.00	5.00	200.00
<b>OR194.5X3</b>	<b>194.50</b>	<b>3.00</b>	<b>200.50</b>
<b>BS367</b>	<b>189.87</b>	<b>5.34</b>	<b>200.55</b>
<b>OR189.3X5.7</b>	<b>189.30</b>	<b>5.70</b>	<b>200.70</b>
<b>OR184.1X8.4</b>	<b>184.10</b>	<b>8.40</b>	<b>200.90</b>
OR195X3	195.00	3.00	201.00
OR194X3.5	194.00	3.50	201.00
OR193X4	193.00	4.00	201.00
OR191X5	191.00	5.00	201.00
<b>BS882</b>	<b>187.30</b>	<b>6.99</b>	<b>201.28</b>
<b>BS170</b>	<b>196.53</b>	<b>2.62</b>	<b>201.77</b>
OR196X3	196.00	3.00	202.00
OR195X3.5	195.00	3.50	202.00
OR194X4	194.00	4.00	202.00
OR192X5	192.00	5.00	202.00
OR197X3	197.00	3.00	203.00
OR196X3.5	196.00	3.50	203.00
OR195X4	195.00	4.00	203.00
OR193X5	193.00	5.00	203.00
<b>BS265</b>	<b>196.45</b>	<b>3.53</b>	<b>203.51</b>
<b>BS443</b>	<b>189.87</b>	<b>6.99</b>	<b>203.85</b>
OR198X3	198.00	3.00	204.00
OR197X3.5	197.00	3.50	204.00
OR196X4	196.00	4.00	204.00
OR194X5	194.00	5.00	204.00
OR199X3	199.00	3.00	205.00
OR198X3.5	198.00	3.50	205.00
OR197X4	197.00	4.00	205.00
OR195X5	195.00	5.00	205.00
<b>OR194.3X5.7</b>	<b>194.30</b>	<b>5.70</b>	<b>205.70</b>
<b>OR189.1X8.4</b>	<b>189.10</b>	<b>8.40</b>	<b>205.90</b>
OR200X3	200.00	3.00	206.00
OR199X3.5	199.00	3.50	206.00
OR198X4	198.00	4.00	206.00
OR196X5	196.00	5.00	206.00
<b>BS368</b>	<b>196.22</b>	<b>5.34</b>	<b>206.90</b>
OR201X3	201.00	3.00	207.00
OR200X3.5	200.00	3.50	207.00
OR199X4	199.00	4.00	207.00
OR197X5	197.00	5.00	207.00
<b>BS884</b>	<b>193.70</b>	<b>6.99</b>	<b>207.68</b>
OR202X3	202.00	3.00	208.00
OR201X3.5	201.00	3.50	208.00
OR200X4	200.00	4.00	208.00
OR198X5	198.00	5.00	208.00
<b>BS171</b>	<b>202.88</b>	<b>2.62</b>	<b>208.12</b>
OR203X3	203.00	3.00	209.00
OR202X3.5	202.00	3.50	209.00



EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR201X4	201.00	4.00	<b>209.00</b>
OR199X5	199.00	5.00	<b>209.00</b>
<b>BS266</b>	<b>202.80</b>	<b>3.53</b>	<b>209.86</b>
OR204X3	204.00	3.00	<b>210.00</b>
OR203X3.5	203.00	3.50	<b>210.00</b>
OR202X4	202.00	4.00	<b>210.00</b>
OR200X5	200.00	5.00	<b>210.00</b>
<b>BS444</b>	<b>196.22</b>	<b>6.99</b>	<b>210.20</b>
<b>OR199.3X5.7</b>	<b>199.30</b>	<b>5.70</b>	<b>210.70</b>
<b>OR194.1X8.4</b>	<b>194.10</b>	<b>8.40</b>	<b>210.90</b>
OR205X3	205.00	3.00	<b>211.00</b>
OR204X3.5	204.00	3.50	<b>211.00</b>
OR203X4	203.00	4.00	<b>211.00</b>
OR201X5	201.00	5.00	<b>211.00</b>
OR206X3	206.00	3.00	<b>212.00</b>
OR205X3.5	205.00	3.50	<b>212.00</b>
OR204X4	204.00	4.00	<b>212.00</b>
OR202X5	202.00	5.00	<b>212.00</b>
OR207X3	207.00	3.00	<b>213.00</b>
OR206X3.5	206.00	3.50	<b>213.00</b>
OR205X4	205.00	4.00	<b>213.00</b>
OR203X5	203.00	5.00	<b>213.00</b>
<b>BS369</b>	<b>202.57</b>	<b>5.34</b>	<b>213.25</b>
<b>BS886</b>	<b>200.00</b>	<b>6.99</b>	<b>213.98</b>
OR208X3	208.00	3.00	<b>214.00</b>
OR207X3.5	207.00	3.50	<b>214.00</b>
OR206X4	206.00	4.00	<b>214.00</b>
OR204X5	204.00	5.00	<b>214.00</b>
<b>BS172</b>	<b>209.23</b>	<b>2.62</b>	<b>214.47</b>
OR209X3	209.00	3.00	<b>215.00</b>
OR208X3.5	208.00	3.50	<b>215.00</b>
OR207X4	207.00	4.00	<b>215.00</b>
OR205X5	205.00	5.00	<b>215.00</b>
<b>OR209.5X3</b>	<b>209.50</b>	<b>3.00</b>	<b>215.50</b>
<b>OR204.3X5.7</b>	<b>204.30</b>	<b>5.70</b>	<b>215.70</b>
<b>OR199.1X8.4</b>	<b>199.10</b>	<b>8.40</b>	<b>215.90</b>
OR210X3	210.00	3.00	<b>216.00</b>
OR209X3.5	209.00	3.50	<b>216.00</b>
OR208X4	208.00	4.00	<b>216.00</b>
OR206X5	206.00	5.00	<b>216.00</b>
<b>BS267</b>	<b>209.15</b>	<b>3.53</b>	<b>216.21</b>
<b>BS445</b>	<b>202.57</b>	<b>6.99</b>	<b>216.55</b>
OR211X3	211.00	3.00	<b>217.00</b>
OR210X3.5	210.00	3.50	<b>217.00</b>
OR209X4	209.00	4.00	<b>217.00</b>
OR207X5	207.00	5.00	<b>217.00</b>
OR212X3	212.00	3.00	<b>218.00</b>
OR211X3.5	211.00	3.50	<b>218.00</b>
OR210X4	210.00	4.00	<b>218.00</b>
OR208X5	208.00	5.00	<b>218.00</b>
OR213X3	213.00	3.00	<b>219.00</b>
OR212X3.5	212.00	3.50	<b>219.00</b>
OR211X4	211.00	4.00	<b>219.00</b>
OR209X5	209.00	5.00	<b>219.00</b>
OR209X5	209.00	5.00	<b>219.00</b>
<b>BS370</b>	<b>208.92</b>	<b>5.34</b>	<b>219.60</b>

Reference	ID	Section	OD
OR214X3	214.00	3.00	<b>220.00</b>
OR213X3.5	213.00	3.50	<b>220.00</b>
OR212X4	212.00	4.00	<b>220.00</b>
OR210X5	210.00	5.00	<b>220.00</b>
<b>OR209.3X5.7</b>	<b>209.30</b>	<b>5.70</b>	<b>220.70</b>
<b>BS173</b>	<b>215.58</b>	<b>2.62</b>	<b>220.82</b>
<b>OR204.1X8.4</b>	<b>204.10</b>	<b>8.40</b>	<b>220.90</b>
OR215X3	215.00	3.00	<b>221.00</b>
OR214X3.5	214.00	3.50	<b>221.00</b>
OR213X4	213.00	4.00	<b>221.00</b>
OR211X5	211.00	5.00	<b>221.00</b>
OR216X3	216.00	3.00	<b>222.00</b>
OR215X3.5	215.00	3.50	<b>222.00</b>
OR214X4	214.00	4.00	<b>222.00</b>
OR212X5	212.00	5.00	<b>222.00</b>
<b>BS268</b>	<b>215.50</b>	<b>3.53</b>	<b>222.56</b>
<b>BS674</b>	<b>208.92</b>	<b>6.99</b>	<b>222.90</b>
OR217X3	217.00	3.00	<b>223.00</b>
OR216X3.5	216.00	3.50	<b>223.00</b>
OR215X4	215.00	4.00	<b>223.00</b>
OR213X5	213.00	5.00	<b>223.00</b>
OR218X3	218.00	3.00	<b>224.00</b>
OR217X3.5	217.00	3.50	<b>224.00</b>
OR216X4	216.00	4.00	<b>224.00</b>
OR214X5	214.00	5.00	<b>224.00</b>
OR219X3	219.00	3.00	<b>225.00</b>
OR218X3.5	218.00	3.50	<b>225.00</b>
OR217X4	217.00	4.00	<b>225.00</b>
OR215X5	215.00	5.00	<b>225.00</b>
<b>OR219.5X3</b>	<b>219.50</b>	<b>3.00</b>	<b>225.50</b>
<b>OR209.1X8.4</b>	<b>209.10</b>	<b>8.40</b>	<b>225.90</b>
<b>BS371</b>	<b>215.27</b>	<b>5.34</b>	<b>225.95</b>
OR220X3	220.00	3.00	<b>226.00</b>
OR219X3.5	219.00	3.50	<b>226.00</b>
OR218X4	218.00	4.00	<b>226.00</b>
OR216X5	216.00	5.00	<b>226.00</b>
OR221X3	221.00	3.00	<b>227.00</b>
OR220X3.5	220.00	3.50	<b>227.00</b>
OR219X4	219.00	4.00	<b>227.00</b>
OR217X5	217.00	5.00	<b>227.00</b>
<b>BS174</b>	<b>221.93</b>	<b>2.62</b>	<b>227.17</b>
OR222X3	222.00	3.00	<b>228.00</b>
OR221X3.5	221.00	3.50	<b>228.00</b>
OR220X4	220.00	4.00	<b>228.00</b>
OR218X5	218.00	5.00	<b>228.00</b>
<b>BS269</b>	<b>221.85</b>	<b>3.53</b>	<b>228.91</b>
OR223X3	223.00	3.00	<b>229.00</b>
OR222X3.5	222.00	3.50	<b>229.00</b>
OR221X4	221.00	4.00	<b>229.00</b>
OR219X5	219.00	5.00	<b>229.00</b>
<b>BS446</b>	<b>215.27</b>	<b>6.99</b>	<b>229.25</b>
OR224X3	224.00	3.00	<b>230.00</b>
OR223X3.5	223.00	3.50	<b>230.00</b>
OR222X4	222.00	4.00	<b>230.00</b>
OR220X5	220.00	5.00	<b>230.00</b>
<b>OR219.3X5.7</b>	<b>219.30</b>	<b>5.70</b>	<b>230.70</b>

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR225X3	225.00	3.00	231.00
OR224X3.5	224.00	3.50	231.00
OR223X4	223.00	4.00	231.00
OR221X5	221.00	5.00	231.00
OR226X3	226.00	3.00	232.00
OR225X3.5	225.00	3.50	232.00
OR224X4	224.00	4.00	232.00
OR222X5	222.00	5.00	232.00
<b>BS372</b>	<b>221.62</b>	<b>5.34</b>	<b>232.30</b>
OR227X3	227.00	3.00	233.00
OR226X3.5	226.00	3.50	233.00
OR225X4	225.00	4.00	233.00
OR223X5	223.00	5.00	233.00
<b>BS175</b>	<b>228.28</b>	<b>2.62</b>	<b>233.52</b>
OR228X3	228.00	3.00	234.00
OR227X3.5	227.00	3.50	234.00
OR226X4	226.00	4.00	234.00
OR224X5	224.00	5.00	234.00
OR229X3	229.00	3.00	235.00
OR228X3.5	228.00	3.50	235.00
OR227X4	227.00	4.00	235.00
OR225X5	225.00	5.00	235.00
<b>BS270</b>	<b>228.20</b>	<b>3.53</b>	<b>235.26</b>
<b>OR229.5X3</b>	<b>229.50</b>	<b>3.00</b>	<b>235.50</b>
<b>BS676</b>	<b>221.62</b>	<b>6.99</b>	<b>235.60</b>
<b>OR219.1X8.4</b>	<b>219.10</b>	<b>8.40</b>	<b>235.90</b>
OR230X3	230.00	3.00	236.00
OR229X3.5	229.00	3.50	236.00
OR228X4	228.00	4.00	236.00
OR226X5	226.00	5.00	236.00
OR231X3	231.00	3.00	237.00
OR230X3.5	230.00	3.50	237.00
OR229X4	229.00	4.00	237.00
OR227X5	227.00	5.00	237.00
OR232X3	232.00	3.00	238.00
OR231X3.5	231.00	3.50	238.00
OR230X4	230.00	4.00	238.00
OR228X5	228.00	5.00	238.00
<b>BS373</b>	<b>227.97</b>	<b>5.34</b>	<b>238.65</b>
OR233X3	233.00	3.00	239.00
OR232X3.5	232.00	3.50	239.00
OR231X4	231.00	4.00	239.00
OR229X5	229.00	5.00	239.00
<b>BS176</b>	<b>234.63</b>	<b>2.62</b>	<b>239.87</b>
OR234X3	234.00	3.00	240.00
OR233X3.5	233.00	3.50	240.00
OR232X4	232.00	4.00	240.00
OR230X5	230.00	5.00	240.00
<b>OR229.3X5.7</b>	<b>229.30</b>	<b>5.70</b>	<b>240.70</b>
OR235X3	235.00	3.00	241.00
OR234X3.5	234.00	3.50	241.00
OR233X4	233.00	4.00	241.00
OR231X5	231.00	5.00	241.00
<b>BS271</b>	<b>234.55</b>	<b>3.53</b>	<b>241.61</b>
<b>BS447</b>	<b>227.97</b>	<b>6.99</b>	<b>241.95</b>
OR236X3	236.00	3.00	242.00

Reference	ID	Section	OD
OR235X3.5	235.00	3.50	242.00
OR234X4	234.00	4.00	242.00
OR232X5	232.00	5.00	242.00
OR237X3	237.00	3.00	243.00
OR236X3.5	236.00	3.50	243.00
OR235X4	235.00	4.00	243.00
OR233X5	233.00	5.00	243.00
OR238X3	238.00	3.00	244.00
OR237X3.5	237.00	3.50	244.00
OR236X4	236.00	4.00	244.00
OR234X5	234.00	5.00	244.00
OR239X3	239.00	3.00	245.00
OR238X3.5	238.00	3.50	245.00
OR237X4	237.00	4.00	245.00
OR235X5	235.00	5.00	245.00
<b>BS374</b>	<b>234.32</b>	<b>5.34</b>	<b>245.00</b>
<b>OR239.5X3</b>	<b>239.50</b>	<b>3.00</b>	<b>245.50</b>
<b>OR229.1X8.4</b>	<b>229.10</b>	<b>8.40</b>	<b>245.90</b>
OR240X3	240.00	3.00	246.00
OR239X3.5	239.00	3.50	246.00
OR238X4	238.00	4.00	246.00
OR236X5	236.00	5.00	246.00
<b>BS177</b>	<b>240.98</b>	<b>2.62</b>	<b>246.22</b>
OR241X3	241.00	3.00	247.00
OR240X3.5	240.00	3.50	247.00
OR239X4	239.00	4.00	247.00
OR237X5	237.00	5.00	247.00
<b>BS272</b>	<b>240.90</b>	<b>3.53</b>	<b>247.96</b>
OR242X3	242.00	3.00	248.00
OR241X3.5	241.00	3.50	248.00
OR240X4	240.00	4.00	248.00
OR238X5	238.00	5.00	248.00
<b>BS678</b>	<b>234.32</b>	<b>6.99</b>	<b>248.30</b>
OR243X3	243.00	3.00	249.00
OR242X3.5	242.00	3.50	249.00
OR241X4	241.00	4.00	249.00
OR239X5	239.00	5.00	249.00
OR244X3	244.00	3.00	250.00
OR243X3.5	243.00	3.50	250.00
OR242X4	242.00	4.00	250.00
OR240X5	240.00	5.00	250.00
<b>OR239.3X5.7</b>	<b>239.30</b>	<b>5.70</b>	<b>250.70</b>
<b>OR234.1X8.4</b>	<b>234.10</b>	<b>8.40</b>	<b>250.90</b>
OR245X3	245.00	3.00	251.00
OR244X3.5	244.00	3.50	251.00
OR243X4	243.00	4.00	251.00
OR241X5	241.00	5.00	251.00
<b>BS375</b>	<b>240.67</b>	<b>5.34</b>	<b>251.35</b>
OR246X3	246.00	3.00	252.00
OR245X3.5	245.00	3.50	252.00
OR244X4	244.00	4.00	252.00
OR242X5	242.00	5.00	252.00
<b>BS178</b>	<b>247.33</b>	<b>2.62</b>	<b>252.57</b>
OR247X3	247.00	3.00	253.00
OR246X3.5	246.00	3.50	253.00
OR245X4	245.00	4.00	253.00

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR243X5	243.00	5.00	<b>253.00</b>
OR248X3	248.00	3.00	<b>254.00</b>
OR247X3.5	247.00	3.50	<b>254.00</b>
OR246X4	246.00	4.00	<b>254.00</b>
OR244X5	244.00	5.00	<b>254.00</b>
<b>BS273</b>	<b>247.25</b>	<b>3.53</b>	<b>254.31</b>
<b>BS448</b>	<b>240.67</b>	<b>6.99</b>	<b>254.65</b>
OR249X3	249.00	3.00	<b>255.00</b>
OR248X3.5	248.00	3.50	<b>255.00</b>
OR247X4	247.00	4.00	<b>255.00</b>
OR245X5	245.00	5.00	<b>255.00</b>
<b>OR249.5X3</b>	<b>249.50</b>	<b>3.00</b>	<b>255.50</b>
<b>OR239.1X8.4</b>	<b>239.10</b>	<b>8.40</b>	<b>255.90</b>
OR250X3	250.00	3.00	<b>256.00</b>
OR249X3.5	249.00	3.50	<b>256.00</b>
OR248X4	248.00	4.00	<b>256.00</b>
OR246X5	246.00	5.00	<b>256.00</b>
OR250X3.5	250.00	3.50	<b>257.00</b>
OR249X4	249.00	4.00	<b>257.00</b>
OR247X5	247.00	5.00	<b>257.00</b>
<b>BS376</b>	<b>247.02</b>	<b>5.34</b>	<b>257.70</b>
OR251X3.5	251.00	3.50	<b>258.00</b>
OR250X4	250.00	4.00	<b>258.00</b>
OR248X5	248.00	5.00	<b>258.00</b>
OR252X3.5	252.00	3.50	<b>259.00</b>
OR251X4	251.00	4.00	<b>259.00</b>
OR249X5	249.00	5.00	<b>259.00</b>
OR253X3.5	253.00	3.50	<b>260.00</b>
OR252X4	252.00	4.00	<b>260.00</b>
OR250X5	250.00	5.00	<b>260.00</b>
<b>BS274</b>	<b>253.60</b>	<b>3.53</b>	<b>260.66</b>
<b>OR249.3X5.7</b>	<b>249.30</b>	<b>5.70</b>	<b>260.70</b>
<b>BS680</b>	<b>247.00</b>	<b>6.99</b>	<b>260.98</b>
OR254X3.5	254.00	3.50	<b>261.00</b>
OR253X4	253.00	4.00	<b>261.00</b>
OR251X5	251.00	5.00	<b>261.00</b>
OR255X3.5	255.00	3.50	<b>262.00</b>
OR254X4	254.00	4.00	<b>262.00</b>
OR252X5	252.00	5.00	<b>262.00</b>
OR256X3.5	256.00	3.50	<b>263.00</b>
OR255X4	255.00	4.00	<b>263.00</b>
OR253X5	253.00	5.00	<b>263.00</b>
OR257X3.5	257.00	3.50	<b>264.00</b>
OR256X4	256.00	4.00	<b>264.00</b>
OR254X5	254.00	5.00	<b>264.00</b>
<b>BS377</b>	<b>253.37</b>	<b>5.34</b>	<b>264.05</b>
OR257X4	257.00	4.00	<b>265.00</b>
OR255X5	255.00	5.00	<b>265.00</b>
OR258X3.5	258.00	3.50	<b>265.00</b>
<b>OR249.1X8.4</b>	<b>249.10</b>	<b>8.40</b>	<b>265.90</b>
OR256X5	256.00	5.00	<b>266.00</b>
OR259X3.5	259.00	3.50	<b>266.00</b>
OR258X4	258.00	4.00	<b>266.00</b>
OR257X5	257.00	5.00	<b>267.00</b>
OR260X3.5	260.00	3.50	<b>267.00</b>
OR259X4	259.00	4.00	<b>267.00</b>

Reference	ID	Section	OD
<b>BS449</b>	<b>253.57</b>	<b>6.99</b>	<b>267.55</b>
OR261X3.5	261.00	3.50	<b>268.00</b>
OR260X4	260.00	4.00	<b>268.00</b>
OR258X5	258.00	5.00	<b>268.00</b>
OR262X3.5	262.00	3.50	<b>269.00</b>
OR261X4	261.00	4.00	<b>269.00</b>
OR259X5	259.00	5.00	<b>269.00</b>
OR263X3.5	263.00	3.50	<b>270.00</b>
OR262X4	262.00	4.00	<b>270.00</b>
OR260X5	260.00	5.00	<b>270.00</b>
<b>OR259.3X5.7</b>	<b>259.30</b>	<b>5.70</b>	<b>270.70</b>
OR264X3.5	264.00	3.50	<b>271.00</b>
OR263X4	263.00	4.00	<b>271.00</b>
OR261X5	261.00	5.00	<b>271.00</b>
OR265X3.5	265.00	3.50	<b>272.00</b>
OR264X4	264.00	4.00	<b>272.00</b>
OR262X5	262.00	5.00	<b>272.00</b>
OR266X3.5	266.00	3.50	<b>273.00</b>
OR265X4	265.00	4.00	<b>273.00</b>
OR263X5	263.00	5.00	<b>273.00</b>
<b>BS275</b>	<b>266.30</b>	<b>3.53</b>	<b>273.36</b>
<b>BS682</b>	<b>259.70</b>	<b>6.99</b>	<b>273.68</b>
OR267X3.5	267.00	3.50	<b>274.00</b>
OR266X4	266.00	4.00	<b>274.00</b>
OR264X5	264.00	5.00	<b>274.00</b>
OR268X3.5	268.00	3.50	<b>275.00</b>
OR267X4	267.00	4.00	<b>275.00</b>
OR265X5	265.00	5.00	<b>275.00</b>
OR269X3.5	269.00	3.50	<b>276.00</b>
OR268X4	268.00	4.00	<b>276.00</b>
OR266X5	266.00	5.00	<b>276.00</b>
<b>BS378</b>	<b>266.07</b>	<b>5.34</b>	<b>276.75</b>
OR270X3.5	270.00	3.50	<b>277.00</b>
OR269X4	269.00	4.00	<b>277.00</b>
OR267X5	267.00	5.00	<b>277.00</b>
OR271X3.5	271.00	3.50	<b>278.00</b>
OR270X4	270.00	4.00	<b>278.00</b>
OR268X5	268.00	5.00	<b>278.00</b>
OR272X3.5	272.00	3.50	<b>279.00</b>
OR271X4	271.00	4.00	<b>279.00</b>
OR269X5	269.00	5.00	<b>279.00</b>
OR272X4	272.00	4.00	<b>280.00</b>
OR273X3.5	273.00	3.50	<b>280.00</b>
OR270X5	270.00	5.00	<b>280.00</b>
<b>BS450</b>	<b>266.07</b>	<b>6.99</b>	<b>280.05</b>
<b>OR269.3X5.7</b>	<b>269.30</b>	<b>5.70</b>	<b>280.70</b>
OR273X4	273.00	4.00	<b>281.00</b>
OR271X5	271.00	5.00	<b>281.00</b>
OR274X3.6	274.00	3.60	<b>281.20</b>
OR272X5	272.00	5.00	<b>282.00</b>
OR275X3.5	275.00	3.50	<b>282.00</b>
OR274X4	274.00	4.00	<b>282.00</b>
OR276X3.5	276.00	3.50	<b>283.00</b>
OR275X4	275.00	4.00	<b>283.00</b>
OR273X5	273.00	5.00	<b>283.00</b>
OR277X3.5	277.00	3.50	<b>284.00</b>

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR276X4	276.00	4.00	<b>284.00</b>
OR274X5	274.00	5.00	<b>284.00</b>
OR278X3.5	278.00	3.50	<b>285.00</b>
OR277X4	277.00	4.00	<b>285.00</b>
OR275X5	275.00	5.00	<b>285.00</b>
OR279X3.5	279.00	3.50	<b>286.00</b>
OR278X4	278.00	4.00	<b>286.00</b>
OR276X5	276.00	5.00	<b>286.00</b>
<b>BS276</b>	<b>279.00</b>	<b>3.53</b>	<b>286.06</b>
<b>BS684</b>	<b>272.40</b>	<b>6.99</b>	<b>286.38</b>
OR280X3.5	280.00	3.50	<b>287.00</b>
OR279X4	279.00	4.00	<b>287.00</b>
OR277X5	277.00	5.00	<b>287.00</b>
OR281X3.5	281.00	3.50	<b>288.00</b>
OR280X4	280.00	4.00	<b>288.00</b>
OR278X5	278.00	5.00	<b>288.00</b>
OR282X3.5	282.00	3.50	<b>289.00</b>
OR281X4	281.00	4.00	<b>289.00</b>
OR279X5	279.00	5.00	<b>289.00</b>
<b>BS379</b>	<b>278.77</b>	<b>5.34</b>	<b>289.45</b>
OR283X3.5	283.00	3.50	<b>290.00</b>
OR282X4	282.00	4.00	<b>290.00</b>
OR280X5	280.00	5.00	<b>290.00</b>
<b>OR279.3X5.7</b>	<b>279.30</b>	<b>5.70</b>	<b>290.70</b>
OR284X3.5	284.00	3.50	<b>291.00</b>
OR283X4	283.00	4.00	<b>291.00</b>
OR281X5	281.00	5.00	<b>291.00</b>
OR285X3.5	285.00	3.50	<b>292.00</b>
OR284X4	284.00	4.00	<b>292.00</b>
OR282X5	282.00	5.00	<b>292.00</b>
<b>BS451</b>	<b>278.77</b>	<b>6.99</b>	<b>292.75</b>
OR286X3.5	286.00	3.50	<b>293.00</b>
OR285X4	285.00	4.00	<b>293.00</b>
OR283X5	283.00	5.00	<b>293.00</b>
OR287X3.5	287.00	3.50	<b>294.00</b>
OR286X4	286.00	4.00	<b>294.00</b>
OR284X5	284.00	5.00	<b>294.00</b>
OR288X3.5	288.00	3.50	<b>295.00</b>
OR287X4	287.00	4.00	<b>295.00</b>
OR285X5	285.00	5.00	<b>295.00</b>
OR289X3.5	289.00	3.50	<b>296.00</b>
OR288X4	288.00	4.00	<b>296.00</b>
OR286X5	286.00	5.00	<b>296.00</b>
OR290X3.5	290.00	3.50	<b>297.00</b>
OR289X4	289.00	4.00	<b>297.00</b>
OR287X5	287.00	5.00	<b>297.00</b>
OR291X3.5	291.00	3.50	<b>298.00</b>
OR290X4	290.00	4.00	<b>298.00</b>
OR288X5	288.00	5.00	<b>298.00</b>
<b>BS277</b>	<b>291.70</b>	<b>3.53</b>	<b>298.76</b>
OR292X3.5	292.00	3.50	<b>299.00</b>
OR291X4	291.00	4.00	<b>299.00</b>
OR289X5	289.00	5.00	<b>299.00</b>
<b>BS686</b>	<b>285.10</b>	<b>6.99</b>	<b>299.08</b>
OR293X3.5	293.00	3.50	<b>300.00</b>
OR292X4	292.00	4.00	<b>300.00</b>

Reference	ID	Section	OD
OR290X5	290.00	5.00	<b>300.00</b>
<b>OR289.3X5.7</b>	<b>289.30</b>	<b>5.70</b>	<b>300.70</b>
OR294X3.5	294.00	3.50	<b>301.00</b>
OR293X4	293.00	4.00	<b>301.00</b>
OR291X5	291.00	5.00	<b>301.00</b>
OR295X3.5	295.00	3.50	<b>302.00</b>
OR294X4	294.00	4.00	<b>302.00</b>
OR292X5	292.00	5.00	<b>302.00</b>
<b>BS380</b>	<b>291.47</b>	<b>5.34</b>	<b>302.15</b>
OR296X3.5	296.00	3.50	<b>303.00</b>
OR295X4	295.00	4.00	<b>303.00</b>
OR293X5	293.00	5.00	<b>303.00</b>
OR297X3.5	297.00	3.50	<b>304.00</b>
OR296X4	296.00	4.00	<b>304.00</b>
OR294X5	294.00	5.00	<b>304.00</b>
OR298X3.5	298.00	3.50	<b>305.00</b>
OR297X4	297.00	4.00	<b>305.00</b>
OR295X5	295.00	5.00	<b>305.00</b>
<b>BS452</b>	<b>291.47</b>	<b>6.99</b>	<b>305.45</b>
OR299X3.5	299.00	3.50	<b>306.00</b>
OR298X4	298.00	4.00	<b>306.00</b>
OR296X5	296.00	5.00	<b>306.00</b>
OR300X3.5	300.00	3.50	<b>307.00</b>
OR299X4	299.00	4.00	<b>307.00</b>
OR297X5	297.00	5.00	<b>307.00</b>
OR301X3.5	301.00	3.50	<b>308.00</b>
OR300X4	300.00	4.00	<b>308.00</b>
OR298X5	298.00	5.00	<b>308.00</b>
OR302X3.5	302.00	3.50	<b>309.00</b>
OR301X4	301.00	4.00	<b>309.00</b>
OR299X5	299.00	5.00	<b>309.00</b>
OR303X3.5	303.00	3.50	<b>310.00</b>
OR302X4	302.00	4.00	<b>310.00</b>
OR300X5	300.00	5.00	<b>310.00</b>
<b>OR299.3X5.7</b>	<b>299.30</b>	<b>5.70</b>	<b>310.70</b>
OR304X3.5	304.00	3.50	<b>311.00</b>
OR303X4	303.00	4.00	<b>311.00</b>
OR301X5	301.00	5.00	<b>311.00</b>
<b>BS278</b>	<b>304.40</b>	<b>3.53</b>	<b>311.46</b>
<b>BS688</b>	<b>297.80</b>	<b>6.99</b>	<b>311.78</b>
OR305X3.5	305.00	3.50	<b>312.00</b>
OR304X4	304.00	4.00	<b>312.00</b>
OR302X5	302.00	5.00	<b>312.00</b>
OR306X3.5	306.00	3.50	<b>313.00</b>
OR305X4	305.00	4.00	<b>313.00</b>
OR303X5	303.00	5.00	<b>313.00</b>
OR307X3.5	307.00	3.50	<b>314.00</b>
OR306X4	306.00	4.00	<b>314.00</b>
OR304X5	304.00	5.00	<b>314.00</b>
<b>BS381</b>	<b>304.17</b>	<b>5.34</b>	<b>314.85</b>
OR308X3.5	308.00	3.50	<b>315.00</b>
OR307X4	307.00	4.00	<b>315.00</b>
OR305X5	305.00	5.00	<b>315.00</b>
OR309X3.5	309.00	3.50	<b>316.00</b>
OR308X4	308.00	4.00	<b>316.00</b>
OR306X5	306.00	5.00	<b>316.00</b>

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR310X3.5	310.00	3.50	317.00
OR309X4	309.00	4.00	317.00
OR307X5	307.00	5.00	317.00
OR311X3.5	311.00	3.50	318.00
OR310X4	310.00	4.00	318.00
OR308X5	308.00	5.00	318.00
<b>BS453</b>	<b>304.17</b>	<b>6.99</b>	<b>318.15</b>
OR312X3.5	312.00	3.50	319.00
OR311X4	311.00	4.00	319.00
OR309X5	309.00	5.00	319.00
OR313X3.5	313.00	3.50	320.00
OR312X4	312.00	4.00	320.00
OR310X5	310.00	5.00	320.00
OR314X3.5	314.00	3.50	321.00
OR313X4	313.00	4.00	321.00
OR311X5	311.00	5.00	321.00
OR315X3.5	315.00	3.50	322.00
OR314X4	314.00	4.00	322.00
OR312X5	312.00	5.00	322.00
OR316X3.5	316.00	3.50	323.00
OR315X4	315.00	4.00	323.00
OR313X5	313.00	5.00	323.00
OR317X3.5	317.00	3.50	324.00
OR316X4	316.00	4.00	324.00
OR314X5	314.00	5.00	324.00
<b>BS648</b>	<b>310.50</b>	<b>6.99</b>	<b>324.48</b>
OR318X3.5	318.00	3.50	325.00
OR317X4	317.00	4.00	325.00
OR315X5	315.00	5.00	325.00
OR319X3.5	319.00	3.50	326.00
OR318X4	318.00	4.00	326.00
OR316X5	316.00	5.00	326.00
OR320X3.5	320.00	3.50	327.00
OR319X4	319.00	4.00	327.00
OR317X5	317.00	5.00	327.00
OR321X3.5	321.00	3.50	328.00
OR320X4	320.00	4.00	328.00
OR318X5	318.00	5.00	328.00
OR322X3.5	322.00	3.50	329.00
OR321X4	321.00	4.00	329.00
OR319X5	319.00	5.00	329.00
OR323X3.5	323.00	3.50	330.00
OR322X4	322.00	4.00	330.00
OR320X5	320.00	5.00	330.00
<b>OR319.3X5.7</b>	<b>319.30</b>	<b>5.70</b>	<b>330.70</b>
<b>BS454</b>	<b>316.87</b>	<b>6.99</b>	<b>330.85</b>
OR324X3.5	324.00	3.50	331.00
OR323X4	323.00	4.00	331.00
OR321X5	321.00	5.00	331.00
OR325X3.5	325.00	3.50	332.00
OR324X4	324.00	4.00	332.00
OR322X5	322.00	5.00	332.00
OR326X3.5	326.00	3.50	333.00
OR325X4	325.00	4.00	333.00
OR323X5	323.00	5.00	333.00
OR327X3.5	327.00	3.50	334.00

Reference	ID	Section	OD
OR326X4	326.00	4.00	334.00
OR324X5	324.00	5.00	334.00
OR328X3.5	328.00	3.50	335.00
OR327X4	327.00	4.00	335.00
OR325X5	325.00	5.00	335.00
OR329X3.5	329.00	3.50	336.00
OR328X4	328.00	4.00	336.00
OR326X5	326.00	5.00	336.00
<b>BS279</b>	<b>329.80</b>	<b>3.53</b>	<b>336.86</b>
OR330X3.5	330.00	3.50	337.00
OR329X4	329.00	4.00	337.00
OR327X5	327.00	5.00	337.00
<b>BS649</b>	<b>323.20</b>	<b>6.99</b>	<b>337.18</b>
OR331X3.5	331.00	3.50	338.00
OR330X4	330.00	4.00	338.00
OR328X5	328.00	5.00	338.00
OR332X3.5	332.00	3.50	339.00
OR331X4	331.00	4.00	339.00
OR329X5	329.00	5.00	339.00
OR333X3.5	333.00	3.50	340.00
OR332X4	332.00	4.00	340.00
OR330X5	330.00	5.00	340.00
<b>BS382</b>	<b>329.57</b>	<b>5.34</b>	<b>340.25</b>
OR334X3.5	334.00	3.50	341.00
OR333X4	333.00	4.00	341.00
OR331X5	331.00	5.00	341.00
OR335X3.5	335.00	3.50	342.00
OR334X4	334.00	4.00	342.00
OR332X5	332.00	5.00	342.00
OR336X3.5	336.00	3.50	343.00
OR335X4	335.00	4.00	343.00
OR333X5	333.00	5.00	343.00
<b>BS455</b>	<b>329.57</b>	<b>6.99</b>	<b>343.55</b>
OR337X3.5	337.00	3.50	344.00
OR336X4	336.00	4.00	344.00
OR334X5	334.00	5.00	344.00
OR338X3.5	338.00	3.50	345.00
OR337X4	337.00	4.00	345.00
OR335X5	335.00	5.00	345.00
OR339X3.5	339.00	3.50	346.00
OR338X4	338.00	4.00	346.00
OR336X5	336.00	5.00	346.00
OR340X3.5	340.00	3.50	347.00
OR339X4	339.00	4.00	347.00
OR337X5	337.00	5.00	347.00
OR341X3.5	341.00	3.50	348.00
OR340X4	340.00	4.00	348.00
OR338X5	338.00	5.00	348.00
OR342X3.5	342.00	3.50	349.00
OR341X4	341.00	4.00	349.00
OR339X5	339.00	5.00	349.00
<b>BS650</b>	<b>335.90</b>	<b>6.99</b>	<b>349.88</b>
OR343X3.5	343.00	3.50	350.00
OR342X4	342.00	4.00	350.00
OR340X5	340.00	5.00	350.00
<b>OR339.3X5.7</b>	<b>339.30</b>	<b>5.70</b>	<b>350.70</b>

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR344X3.5	344.00	3.50	<b>351.00</b>
OR343X4	343.00	4.00	<b>351.00</b>
OR341X5	341.00	5.00	<b>351.00</b>
OR345X3.5	345.00	3.50	<b>352.00</b>
OR344X4	344.00	4.00	<b>352.00</b>
OR342X5	342.00	5.00	<b>352.00</b>
OR346X3.5	346.00	3.50	<b>353.00</b>
OR345X4	345.00	4.00	<b>353.00</b>
OR343X5	343.00	5.00	<b>353.00</b>
OR347X3.5	347.00	3.50	<b>354.00</b>
OR346X4	346.00	4.00	<b>354.00</b>
OR344X5	344.00	5.00	<b>354.00</b>
OR348X3.5	348.00	3.50	<b>355.00</b>
OR347X4	347.00	4.00	<b>355.00</b>
OR345X5	345.00	5.00	<b>355.00</b>
OR349X3.5	349.00	3.50	<b>356.00</b>
OR348X4	348.00	4.00	<b>356.00</b>
OR346X5	346.00	5.00	<b>356.00</b>
<b>BS456</b>	<b>342.27</b>	<b>6.99</b>	<b>356.25</b>
OR350X3.5	350.00	3.50	<b>357.00</b>
OR349X4	349.00	4.00	<b>357.00</b>
OR347X5	347.00	5.00	<b>357.00</b>
OR351X3.5	351.00	3.50	<b>358.00</b>
OR350X4	350.00	4.00	<b>358.00</b>
OR348X5	348.00	5.00	<b>358.00</b>
OR352X3.5	352.00	3.50	<b>359.00</b>
OR351X4	351.00	4.00	<b>359.00</b>
OR349X5	349.00	5.00	<b>359.00</b>
OR353X3.5	353.00	3.50	<b>360.00</b>
OR352X4	352.00	4.00	<b>360.00</b>
OR350X5	350.00	5.00	<b>360.00</b>
OR354X3.5	354.00	3.50	<b>361.00</b>
OR353X4	353.00	4.00	<b>361.00</b>
OR353X4	353.00	4.00	<b>361.00</b>
OR351X5	351.00	5.00	<b>361.00</b>
OR355X3.5	355.00	3.50	<b>362.00</b>
OR354X4	354.00	4.00	<b>362.00</b>
OR352X5	352.00	5.00	<b>362.00</b>
<b>BS280</b>	<b>355.20</b>	<b>3.53</b>	<b>362.26</b>
OR356X3.5	356.00	3.50	<b>363.00</b>
OR355X4	355.00	4.00	<b>363.00</b>
OR353X5	353.00	5.00	<b>363.00</b>
OR357X3.5	357.00	3.50	<b>364.00</b>
OR356X4	356.00	4.00	<b>364.00</b>
OR354X5	354.00	5.00	<b>364.00</b>
OR358X3.5	358.00	3.50	<b>365.00</b>
OR357X4	357.00	4.00	<b>365.00</b>
OR355X5	355.00	5.00	<b>365.00</b>
<b>BS383</b>	<b>354.97</b>	<b>5.34</b>	<b>365.65</b>
OR359X3.5	359.00	3.50	<b>366.00</b>
OR358X4	358.00	4.00	<b>366.00</b>
OR356X5	356.00	5.00	<b>366.00</b>
OR360X3.5	360.00	3.50	<b>367.00</b>
OR359X4	359.00	4.00	<b>367.00</b>
OR357X5	357.00	5.00	<b>367.00</b>
OR361X3.5	361.00	3.50	<b>368.00</b>

Reference	ID	Section	OD
OR360X4	360.00	4.00	<b>368.00</b>
OR358X5	358.00	5.00	<b>368.00</b>
<b>BS457</b>	<b>354.97</b>	<b>6.99</b>	<b>368.95</b>
OR362X3.5	362.00	3.50	<b>369.00</b>
OR361X4	361.00	4.00	<b>369.00</b>
OR359X5	359.00	5.00	<b>369.00</b>
OR363X3.5	363.00	3.50	<b>370.00</b>
OR362X4	362.00	4.00	<b>370.00</b>
OR360X5	360.00	5.00	<b>370.00</b>
<b>OR359.3X5.7</b>	<b>359.30</b>	<b>5.70</b>	<b>370.70</b>
OR364X3.5	364.00	3.50	<b>371.00</b>
OR363X4	363.00	4.00	<b>371.00</b>
OR361X5	361.00	5.00	<b>371.00</b>
OR365X3.5	365.00	3.50	<b>372.00</b>
OR364X4	364.00	4.00	<b>372.00</b>
OR362X5	362.00	5.00	<b>372.00</b>
OR366X3.5	366.00	3.50	<b>373.00</b>
OR365X4	365.00	4.00	<b>373.00</b>
OR363X5	363.00	5.00	<b>373.00</b>
OR367X3.5	367.00	3.50	<b>374.00</b>
OR366X4	366.00	4.00	<b>374.00</b>
OR364X5	364.00	5.00	<b>374.00</b>
OR368X3.5	368.00	3.50	<b>375.00</b>
OR367X4	367.00	4.00	<b>375.00</b>
OR365X5	365.00	5.00	<b>375.00</b>
OR369X3.5	369.00	3.50	<b>376.00</b>
OR368X4	368.00	4.00	<b>376.00</b>
OR366X5	366.00	5.00	<b>376.00</b>
OR370X3.5	370.00	3.50	<b>377.00</b>
OR369X4	369.00	4.00	<b>377.00</b>
OR367X5	367.00	5.00	<b>377.00</b>
OR371X3.5	371.00	3.50	<b>378.00</b>
OR370X4	370.00	4.00	<b>378.00</b>
OR368X5	368.00	5.00	<b>378.00</b>
OR372X3.5	372.00	3.50	<b>379.00</b>
OR371X4	371.00	4.00	<b>379.00</b>
OR369X5	369.00	5.00	<b>379.00</b>
OR373X3.5	373.00	3.50	<b>380.00</b>
OR372X4	372.00	4.00	<b>380.00</b>
OR370X5	370.00	5.00	<b>380.00</b>
OR374X3.5	374.00	3.50	<b>381.00</b>
OR373X4	373.00	4.00	<b>381.00</b>
OR371X5	371.00	5.00	<b>381.00</b>
<b>BS458</b>	<b>367.67</b>	<b>6.99</b>	<b>381.65</b>
OR375X3.5	375.00	3.50	<b>382.00</b>
OR374X4	374.00	4.00	<b>382.00</b>
OR372X5	372.00	5.00	<b>382.00</b>
OR376X3.5	376.00	3.50	<b>383.00</b>
OR375X4	375.00	4.00	<b>383.00</b>
OR373X5	373.00	5.00	<b>383.00</b>
OR377X3.5	377.00	3.50	<b>384.00</b>
OR376X4	376.00	4.00	<b>384.00</b>
OR374X5	374.00	5.00	<b>384.00</b>
OR378X3.5	378.00	3.50	<b>385.00</b>
OR377X4	377.00	4.00	<b>385.00</b>
OR375X5	375.00	5.00	<b>385.00</b>

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR379X3.5	379.00	3.50	<b>386.00</b>
OR378X4	378.00	4.00	<b>386.00</b>
OR376X5	376.00	5.00	<b>386.00</b>
OR380X3.5	380.00	3.50	<b>387.00</b>
OR379X4	379.00	4.00	<b>387.00</b>
OR377X5	377.00	5.00	<b>387.00</b>
<b>BS281</b>	<b>380.60</b>	<b>3.53</b>	<b>387.66</b>
OR381X3.5	381.00	3.50	<b>388.00</b>
OR380X4	380.00	4.00	<b>388.00</b>
OR378X5	378.00	5.00	<b>388.00</b>
OR382X3.5	382.00	3.50	<b>389.00</b>
OR381X4	381.00	4.00	<b>389.00</b>
OR379X5	379.00	5.00	<b>389.00</b>
OR383X3.5	383.00	3.50	<b>390.00</b>
OR382X4	382.00	4.00	<b>390.00</b>
OR380X5	380.00	5.00	<b>390.00</b>
<b>OR379.3X5.7</b>	<b>379.30</b>	<b>5.70</b>	<b>390.70</b>
OR384X3.5	384.00	3.50	<b>391.00</b>
OR383X4	383.00	4.00	<b>391.00</b>
OR381X5	381.00	5.00	<b>391.00</b>
<b>BS384</b>	<b>380.37</b>	<b>5.34</b>	<b>391.05</b>
OR385X3.5	385.00	3.50	<b>392.00</b>
OR384X4	384.00	4.00	<b>392.00</b>
OR382X5	382.00	5.00	<b>392.00</b>
OR386X3.5	386.00	3.50	<b>393.00</b>
OR385X4	385.00	4.00	<b>393.00</b>
OR383X5	383.00	5.00	<b>393.00</b>
OR387X3.5	387.00	3.50	<b>394.00</b>
OR386X4	386.00	4.00	<b>394.00</b>
OR384X5	384.00	5.00	<b>394.00</b>
<b>BS459</b>	<b>380.37</b>	<b>6.99</b>	<b>394.35</b>
OR388X3.5	388.00	3.50	<b>395.00</b>
OR387X4	387.00	4.00	<b>395.00</b>
OR385X5	385.00	5.00	<b>395.00</b>
OR389X3.5	389.00	3.50	<b>396.00</b>
OR388X4	388.00	4.00	<b>396.00</b>
OR386X5	386.00	5.00	<b>396.00</b>
OR390X3.5	390.00	3.50	<b>397.00</b>
OR389X4	389.00	4.00	<b>397.00</b>
OR387X5	387.00	5.00	<b>397.00</b>
OR391X3.5	391.00	3.50	<b>398.00</b>
OR390X4	390.00	4.00	<b>398.00</b>
OR388X5	388.00	5.00	<b>398.00</b>
OR392X3.5	392.00	3.50	<b>399.00</b>
OR391X4	391.00	4.00	<b>399.00</b>
OR389X5	389.00	5.00	<b>399.00</b>
OR393X3.5	393.00	3.50	<b>400.00</b>
OR392X4	392.00	4.00	<b>400.00</b>
OR390X5	390.00	5.00	<b>400.00</b>
OR394X3.5	394.00	3.50	<b>401.00</b>
OR393X4	393.00	4.00	<b>401.00</b>
OR391X5	391.00	5.00	<b>401.00</b>
OR395X3.5	395.00	3.50	<b>402.00</b>
OR394X4	394.00	4.00	<b>402.00</b>
OR392X5	392.00	5.00	<b>402.00</b>
OR396X3.5	396.00	3.50	<b>403.00</b>

Reference	ID	Section	OD
OR395X4	395.00	4.00	<b>403.00</b>
OR393X5	393.00	5.00	<b>403.00</b>
OR397X3.5	397.00	3.50	<b>404.00</b>
OR396X4	396.00	4.00	<b>404.00</b>
OR394X5	394.00	5.00	<b>404.00</b>
OR398X3.5	398.00	3.50	<b>405.00</b>
OR397X4	397.00	4.00	<b>405.00</b>
OR395X5	395.00	5.00	<b>405.00</b>
OR399X3.5	399.00	3.50	<b>406.00</b>
OR398X4	398.00	4.00	<b>406.00</b>
OR396X5	396.00	5.00	<b>406.00</b>
OR400X3.5	400.00	3.50	<b>407.00</b>
OR399X4	399.00	4.00	<b>407.00</b>
OR397X5	397.00	5.00	<b>407.00</b>
<b>BS460</b>	<b>393.07</b>	<b>6.99</b>	<b>407.05</b>
OR401X3.5	401.00	3.50	<b>408.00</b>
OR400X4	400.00	4.00	<b>408.00</b>
OR398X5	398.00	5.00	<b>408.00</b>
OR402X3.5	402.00	3.50	<b>409.00</b>
OR401X4	401.00	4.00	<b>409.00</b>
OR399X5	399.00	5.00	<b>409.00</b>
OR403X3.5	403.00	3.50	<b>410.00</b>
OR402X4	402.00	4.00	<b>410.00</b>
<b>OR399.3X5.7</b>	<b>399.30</b>	<b>5.70</b>	<b>410.70</b>
OR404X3.5	404.00	3.50	<b>411.00</b>
OR403X4	403.00	4.00	<b>411.00</b>
OR405X3.5	405.00	3.50	<b>412.00</b>
OR404X4	404.00	4.00	<b>412.00</b>
<b>BS282</b>	<b>405.26</b>	<b>3.53</b>	<b>412.32</b>
OR406X3.5	406.00	3.50	<b>413.00</b>
OR405X4	405.00	4.00	<b>413.00</b>
OR407X3.5	407.00	3.50	<b>414.00</b>
OR406X4	406.00	4.00	<b>414.00</b>
OR408X3.5	408.00	3.50	<b>415.00</b>
OR407X4	407.00	4.00	<b>415.00</b>
<b>BS385</b>	<b>405.26</b>	<b>5.34</b>	<b>415.94</b>
OR409X3.5	409.00	3.50	<b>416.00</b>
OR408X4	408.00	4.00	<b>416.00</b>
OR410X3.5	410.00	3.50	<b>417.00</b>
OR409X4	409.00	4.00	<b>417.00</b>
OR411X3.5	411.00	3.50	<b>418.00</b>
OR410X4	410.00	4.00	<b>418.00</b>
OR412X3.5	412.00	3.50	<b>419.00</b>
OR411X4	411.00	4.00	<b>419.00</b>
<b>BS461</b>	<b>405.26</b>	<b>6.99</b>	<b>419.24</b>
OR413X3.5	413.00	3.50	<b>420.00</b>
OR412X4	412.00	4.00	<b>420.00</b>
OR414X3.5	414.00	3.50	<b>421.00</b>
OR413X4	413.00	4.00	<b>421.00</b>
OR415X3.5	415.00	3.50	<b>422.00</b>
OR414X4	414.00	4.00	<b>422.00</b>
OR416X3.5	416.00	3.50	<b>423.00</b>
OR415X4	415.00	4.00	<b>423.00</b>
OR417X3.5	417.00	3.50	<b>424.00</b>
OR416X4	416.00	4.00	<b>424.00</b>
OR418X3.5	418.00	3.50	<b>425.00</b>

EUROPEAN O RINGS ----- OUTSIDE DIAMETER ORDER



Reference	ID	Section	OD
OR417X4	417.00	4.00	425.00
OR419X3.5	419.00	3.50	426.00
OR418X4	418.00	4.00	426.00
OR420X3.5	420.00	3.50	427.00
OR419X4	419.00	4.00	427.00
OR421X3.5	421.00	3.50	428.00
OR420X4	420.00	4.00	428.00
OR422X3.5	422.00	3.50	429.00
OR421X4	421.00	4.00	429.00
OR423X3.5	423.00	3.50	430.00
OR422X4	422.00	4.00	430.00
OR419.3X5.7	419.30	5.70	430.70
OR424X3.5	424.00	3.50	431.00
OR423X4	423.00	4.00	431.00
BS462	417.96	6.99	431.94
OR425X3.5	425.00	3.50	432.00
OR424X4	424.00	4.00	432.00
OR426X3.5	426.00	3.50	433.00
OR425X4	425.00	4.00	433.00
OR427X3.5	427.00	3.50	434.00
OR426X4	426.00	4.00	434.00
OR428X3.5	428.00	3.50	435.00
OR427X4	427.00	4.00	435.00
OR429X3.5	429.00	3.50	436.00
OR428X4	428.00	4.00	436.00
OR430X3.5	430.00	3.50	437.00
OR429X4	429.00	4.00	437.00
BS283	430.66	3.53	437.72
OR431X3.5	431.00	3.50	438.00
OR430X4	430.00	4.00	438.00
OR432X3.5	432.00	3.50	439.00
OR431X4	431.00	4.00	439.00
OR433X3.5	433.00	3.50	440.00
OR432X4	432.00	4.00	440.00
OR434X3.5	434.00	3.50	441.00
OR433X4	433.00	4.00	441.00
BS386	430.66	5.34	441.34
OR435X3.5	435.00	3.50	442.00
OR434X4	434.00	4.00	442.00
OR436X3.5	436.00	3.50	443.00
OR435X4	435.00	4.00	443.00
OR437X3.5	437.00	3.50	444.00
OR436X4	436.00	4.00	444.00
BS463	430.66	6.99	444.64
OR438X3.5	438.00	3.50	445.00
OR437X4	437.00	4.00	445.00
OR439X3.5	439.00	3.50	446.00
OR438X4	438.00	4.00	446.00
OR440X3.5	440.00	3.50	447.00
OR439X4	439.00	4.00	447.00
OR440X4	440.00	4.00	448.00
OR441X4	441.00	4.00	449.00
OR442X4	442.00	4.00	450.00
OR439.3X5.7	439.30	5.70	450.70
OR443X4	443.00	4.00	451.00
OR444X4	444.00	4.00	452.00

Reference	ID	Section	OD
OR445X4	445.00	4.00	453.00
OR446X4	446.00	4.00	454.00
OR447X4	447.00	4.00	455.00
OR448X4	448.00	4.00	456.00
OR449X4	449.00	4.00	457.00
BS464	443.36	6.99	457.34
OR450X4	450.00	4.00	458.00
OR451X4	451.00	4.00	459.00
OR452X4	452.00	4.00	460.00
OR453X4	453.00	4.00	461.00
OR454X4	454.00	4.00	462.00
OR455X4	455.00	4.00	463.00
BS284	456.06	3.53	463.12
OR456X4	456.00	4.00	464.00
OR457X4	457.00	4.00	465.00
OR458X4	458.00	4.00	466.00
BS387	456.06	5.34	466.74
OR459X4	459.00	4.00	467.00
OR460X4	460.00	4.00	468.00
OR461X4	461.00	4.00	469.00
OR462X4	462.00	4.00	470.00
BS465	456.06	6.99	470.04
OR459.3X5.7	459.30	5.70	470.70
OR463X4	463.00	4.00	471.00
OR464X4	464.00	4.00	472.00
OR465X4	465.00	4.00	473.00
OR466X4	466.00	4.00	474.00
OR467X4	467.00	4.00	475.00
OR468X4	468.00	4.00	476.00
OR469X4	469.00	4.00	477.00
OR470X4	470.00	4.00	478.00
OR471X4	471.00	4.00	479.00
OR472X4	472.00	4.00	480.00
OR473X4	473.00	4.00	481.00
OR474X4	474.00	4.00	482.00
BS466	468.76	6.99	482.74
OR475X4	475.00	4.00	483.00
OR476X4	476.00	4.00	484.00
OR477X4	477.00	4.00	485.00
OR478X4	478.00	4.00	486.00
OR479X4	479.00	4.00	487.00
OR480X4	480.00	4.00	488.00
OR481X4	481.00	4.00	489.00
OR482X4	482.00	4.00	490.00
OR479.3X5.7	479.30	5.70	490.70
OR483X4	483.00	4.00	491.00
OR484X4	484.00	4.00	492.00
BS388	481.46	5.34	492.14
OR485X4	485.00	4.00	493.00
OR486X4	486.00	4.00	494.00
OR487X4	487.00	4.00	495.00
BS467	481.46	6.99	495.44
OR488X4	488.00	4.00	496.00
OR489X4	489.00	4.00	497.00
OR490X4	490.00	4.00	498.00
OR491X4	491.00	4.00	499.00



