

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |        |        | Designation   |
|-----------------|--------|--------|---------------|
| Bore            | OD     | Width  | Basic Ref     |
| 14,989          | 34,988 | 10,998 | A4059/A4138   |
| 15              | 42     | 14,25  | 30302         |
| 15,875          | 41,275 | 14,288 | 03062/03162   |
| 15,875          | 42,862 | 14,288 | 11590/11520   |
| 17              | 40     | 13,25  | 30203         |
| 17              | 47     | 15,25  | 30303         |
| 17              | 47     | 20,25  | 32303         |
| 17,462          | 39,878 | 13,843 | LM11749/710   |
| 19,05           | 45,237 | 15,494 | LM11949/910   |
| 19,05           | 49,225 | 18,034 | 09067/09195   |
| 19,05           | 49,225 | 19,845 | 09074/09195   |
| 20              | 42     | 15     | 32004X        |
| 20              | 47     | 15,25  | 30204         |
| 20              | 52     | 16,25  | 30304         |
| 20              | 52     | 22,25  | 32304         |
| 21,43           | 45,237 | 15,494 | LM12748/710   |
| 21,43           | 50,005 | 17,526 | M12649/610    |
| 21,986          | 45,237 | 15,494 | LM12749/710   |
| 21,986          | 45,974 | 15,494 | LM12749/711   |
| 22              | 44     | 15     | 320/22X       |
| 22,225          | 52,388 | 19,368 | 1380/1328     |
| 25              | 47     | 15     | 32005X        |
| 25              | 52     | 16,25  | 30205         |
| 25              | 52     | 19,25  | 32205B        |
| 25              | 52     | 22     | 33205         |
| 25              | 62     | 18,25  | 30305         |
| 25              | 62     | 18,25  | 31305         |
| 25              | 62     | 25,25  | 32305         |
| 25,4            | 50,292 | 14,224 | L44643/610    |
| 25,4            | 50,8   | 15,011 | 07100S/07210X |
| 25,4            | 57,15  | 17,462 | 15578/15520   |
| 25,4            | 57,15  | 19,431 | M84548/510    |
| 25,4            | 61,912 | 19,05  | 15103S/15243  |
| 25,4            | 62     | 19,05  | 15101/15245   |
| 25,4            | 62     | 19,05  | 15103S/15245  |
| 26,988          | 50,292 | 14,224 | L44649/610    |
| 27,5            | 57,15  | 19,845 | 1982F/1924A   |
| 28              | 52     | 16     | 320/28X       |
| 28              | 58     | 17,25  | 302/28        |
| 28              | 58     | 20,25  | 322/28B       |
| 28,575          | 57,15  | 19,845 | 1985/1922     |
| 28,575          | 57,15  | 19,845 | 1988/1922     |
| 28,575          | 64,292 | 21,433 | M86647/610    |
| 28,575          | 73,025 | 22,225 | 02872/02820   |
| 29              | 50,292 | 14,224 | L45449/410    |
| 30              | 55     | 17     | 32006X        |
| 30              | 62     | 17,25  | 30206         |
| 30              | 62     | 21,25  | 32206B        |
| 30              | 62     | 21,25  | 32206         |
| 30              | 62     | 25     | 33206         |
| 30              | 72     | 20,75  | 30306         |
| 30              | 72     | 20,75  | 31306         |
| 30              | 72     | 28,75  | 32306         |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |        |        | Designation   |
|-----------------|--------|--------|---------------|
| Bore            | OD     | Width  | Basic Ref     |
| 30,162          | 64,292 | 21,433 | M86649/610    |
| 30,162          | 68,262 | 22,225 | M88043/010    |
| 31,75           | 59,131 | 15,875 | LM67048/010   |
| 31,75           | 61,912 | 19,05  | 15123/15243   |
| 31,75           | 62     | 19,05  | 15123/15245   |
| 31,75           | 73,025 | 29,37  | HM88542/510   |
| 32              | 53     | 14,5   | JL26749F/710  |
| 32              | 58     | 17     | 320/32X       |
| 33,338          | 68,262 | 22,225 | M88048/010    |
| 33,338          | 69,012 | 19,845 | 14131/14276   |
| 34,925          | 65,088 | 18,034 | LM48548A/510  |
| 34,925          | 65,088 | 18,034 | LM48548/510   |
| 34,925          | 69,012 | 19,845 | 14137A/14276  |
| 34,925          | 72,233 | 25,4   | HM88649/610   |
| 34,925          | 73,025 | 23,812 | 25877/25821   |
| 34,925          | 73,025 | 26,988 | 23690/23620   |
| 34,925          | 76,2   | 29,37  | 31594/31520   |
| 34,925          | 76,2   | 29,37  | HM89446/410   |
| 34,988          | 59,131 | 15,875 | L68149/110    |
| 34,988          | 59,974 | 15,875 | L68149/111    |
| 35              | 62     | 18     | 32007         |
| 35              | 62     | 18     | 32007X        |
| 35              | 72     | 18,25  | 30207         |
| 35              | 72     | 24,25  | 32207         |
| 35              | 72     | 28     | 33207         |
| 35              | 80     | 22,75  | 30307         |
| 35              | 80     | 22,75  | 31307         |
| 35              | 80     | 32,75  | 32307B        |
| 35              | 80     | 32,75  | 32307         |
| 36,487          | 73,025 | 23,812 | 25880/25820   |
| 36,512          | 76,2   | 29,37  | HM89449/410   |
| 37              | 80     | 32,75  | 32307/37B     |
| 38              | 63     | 17     | JL69345F/310  |
| 38              | 63     | 17     | JL69349A/310  |
| 38              | 63     | 17     | JL69349X/310  |
| 38              | 63     | 17     | JL69349/310   |
| 38              | 68     | 19     | 32008/38X     |
| 38,1            | 65,088 | 18,034 | LM29748/710   |
| 38,1            | 65,088 | 18,034 | LM29749/710   |
| 38,1            | 65,088 | 19,812 | LM29749/711   |
| 38,1            | 72,238 | 20,638 | 16150/16284   |
| 38,1            | 72,238 | 23,812 | 16150/16283   |
| 38,1            | 76,2   | 23,812 | 2788/2720     |
| 38,1            | 79,375 | 29,37  | 3490/3420     |
| 38,1            | 82,55  | 29,37  | HM801346X/310 |
| 38,1            | 82,55  | 29,37  | HM801346/310  |
| 38,1            | 88,5   | 26,988 | 418/414       |
| 39,688          | 73,025 | 25,654 | M2010447/011  |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |         |        | Designation  |
|-----------------|---------|--------|--------------|
| Bore            | OD      | Width  | Basic Ref    |
| 40              | 68      | 19     | 32008X       |
| 40              | 68      | 19     | 32008XR      |
| 40              | 75      | 26     | 33108        |
| 40              | 80      | 19,75  | 30208        |
| 40              | 80      | 24,75  | 32208        |
| 40              | 80      | 32     | 33208        |
| 40              | 85      | 33     | T2EE040      |
| 40              | 90      | 25,25  | 30308        |
| 40              | 90      | 25,25  | 31308        |
| 40              | 90      | 35,25  | 32308        |
| 40,988          | 67,975  | 17,5   | LM300849/811 |
| 41,275          | 73,025  | 16,667 | 18590/18520  |
| 41,275          | 73,431  | 19,558 | LM501349/310 |
| 41,275          | 73,431  | 21,43  | LM501349/314 |
| 41,275          | 76,2    | 18,009 | 11162/11300  |
| 41,275          | 76,2    | 18,009 | 11163/11300  |
| 41,275          | 76,2    | 22,225 | 24780/24720  |
| 41,275          | 82,55   | 26,543 | M802048/011  |
| 41,275          | 87,312  | 30,162 | 3585/3525    |
| 41,275          | 88,9    | 30,162 | HM803146/110 |
| 41,275          | 101,6   | 34,925 | 526/522      |
| 42,875          | 82,931  | 23,812 | 25577/25520  |
| 42,875          | 83,058  | 23,876 | 25577/25523  |
| 44,45           | 82,931  | 23,812 | 25580/25520  |
| 44,45           | 82,931  | 26,988 | 25580/25523  |
| 44,45           | 83,058  | 23,876 | 25580/25522  |
| 44,45           | 88,9    | 30,162 | HM803149/110 |
| 44,45           | 95,25   | 30,958 | 53178/53377  |
| 44,45           | 95,25   | 30,958 | HM903249/210 |
| 44,45           | 104,775 | 36,512 | HM807040/010 |
| 44,45           | 107,95  | 36,512 | 535/532X     |
| 44,45           | 111,125 | 38,1   | 535/532A     |
| 45              | 75      | 20     | 32009X       |
| 45              | 80      | 26     | 33109        |
| 45              | 85      | 20,638 | 358X/354X    |
| 45              | 85      | 20,75  | 30209        |
| 45              | 85      | 24,75  | 32209        |
| 45              | 85      | 32     | 33209        |
| 45              | 90      | 24,75  | 32210/45B    |
| 45              | 95      | 29     | T7FC040      |
| 45              | 95      | 36     | T2ED045      |
| 45              | 100     | 27,25  | 30309        |
| 45              | 100     | 27,25  | 31309        |
| 45              | 100     | 38,25  | 32309B       |
| 45              | 100     | 38,25  | 32309BR      |
| 45              | 100     | 38,25  | 32309        |
| 45,237          | 87,312  | 30,162 | 3586/3525    |
| 45,242          | 73,431  | 19,558 | LM102949/910 |
| 45,242          | 77,788  | 19,842 | LM603049/011 |
| 45,618          | 82,931  | 23,812 | 25590/25520  |
| 45,618          | 82,931  | 26,988 | 25590/25523  |
| 45,618          | 83,058  | 23,876 | 25590/25522  |
| 46              | 75      | 18     | LM503349/310 |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |         |        | Designation       |
|-----------------|---------|--------|-------------------|
| Bore            | OD      | Width  | Basic Ref         |
| 46,038          | 79,375  | 17,462 | 18690/18620       |
| 46,038          | 85      | 20,637 | 359S/354X         |
| 47,625          | 88,9    | 20,637 | 369S/362A         |
| 47,625          | 95,25   | 30,162 | HM804846/810      |
| 47,625          | 101,6   | 34,925 | 528R/522          |
| 49,212          | 114,3   | 44,45  | 65390/65320       |
| 50              | 80      | 20     | 32010X            |
| 50              | 80      | 24     | 33010             |
| 50              | 82      | 21,5   | JLM104948AA/910AA |
| 50              | 85      | 26     | 33110             |
| 50              | 90      | 21,75  | 30210             |
| 50              | 90      | 24,75  | 32210             |
| 50              | 90      | 28     | JM205149/110A     |
| 50              | 90      | 28     | JM205149/110      |
| 50              | 90      | 32     | 33210             |
| 50              | 100     | 36     | T2ED050           |
| 50              | 105     | 32     | T7FC050           |
| 50              | 110     | 29,25  | 30310             |
| 50              | 110     | 29,25  | 31310             |
| 50              | 110     | 42,25  | 32310B            |
| 50              | 110     | 42,25  | 32310             |
| 50,8            | 82,55   | 21,59  | LM104949/911      |
| 50,8            | 85      | 17,462 | 18790/18720       |
| 50,8            | 88,9    | 20,637 | 368A/362A         |
| 50,8            | 90      | 25     | 368A/362X         |
| 50,8            | 93,264  | 30,162 | 3780/3720         |
| 50,8            | 97,63   | 24,608 | 28678/28622B      |
| 50,8            | 104,775 | 36,512 | HM807046/010      |
| 50,8            | 104,775 | 39,688 | 4580/4535         |
| 50,8            | 107,95  | 36,512 | 537/532X          |
| 53,975          | 88,9    | 19,05  | LM806649/610      |
| 53,975          | 95,25   | 27,783 | 33895/33821       |
| 53,975          | 95,25   | 27,783 | 33895/33822       |
| 53,975          | 107,95  | 36,512 | 539/532X          |
| 53,975          | 111,125 | 38,1   | 539/532A          |
| 53,975          | 123,825 | 36,512 | 72212/72487       |
| 55              | 90      | 23     | 32011X            |
| 55              | 90      | 27     | 33011             |
| 55              | 95      | 30     | 33111             |
| 55              | 100     | 22,75  | 30211             |
| 55              | 100     | 26,75  | 32211             |
| 55              | 100     | 35     | 33211             |
| 55              | 110     | 39     | T2ED055           |
| 55              | 115     | 34     | T7FC055           |
| 55              | 120     | 31,5   | 30311             |
| 55              | 120     | 31,5   | 31311             |
| 55              | 120     | 45,5   | 32311B            |
| 55              | 120     | 45,5   | 32311BR           |
| 55              | 120     | 45,5   | 32311             |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |         |        | Designation   |
|-----------------|---------|--------|---------------|
| Bore            | OD      | Width  | Basic Ref     |
| 57,15           | 96,838  | 21     | 387A/382A     |
| 57,15           | 96,838  | 21     | 387/382A      |
| 57,15           | 96,838  | 25,4   | 387A/382S     |
| 57,15           | 98,425  | 21     | 387A/382      |
| 57,15           | 104,775 | 30,162 | 462/453X      |
| 57,15           | 112,712 | 30,162 | 39580/39520   |
| 57,15           | 112,712 | 30,162 | 39581/39520   |
| 57,15           | 119,985 | 32,75  | 39580/39528   |
| 57,15           | 119,985 | 32,75  | 39581/39528   |
| 60              | 95      | 23     | 32012X        |
| 60              | 95      | 24     | JLM508748/710 |
| 60              | 95      | 27     | 33012         |
| 60              | 100     | 30     | 33112         |
| 60              | 110     | 23,75  | 30212         |
| 60              | 110     | 29,75  | 32212         |
| 60              | 110     | 38     | 33212         |
| 60              | 115     | 40     | T2EE060       |
| 60              | 125     | 37     | T7FC060       |
| 60              | 130     | 33,5   | 30312         |
| 60              | 130     | 33,5   | 31312         |
| 60              | 130     | 48,5   | 32312B        |
| 60              | 130     | 48,5   | 32312         |
| 60,325          | 130,175 | 36,512 | HM911245/210  |
| 61,912          | 146,05  | 41,275 | H913842/810   |
| 61,912          | 146,05  | 41,275 | H913843/810   |
| 63,5            | 112,712 | 30,162 | 3982/3920     |
| 65              | 100     | 23     | 32013X        |
| 65              | 100     | 27     | 33013         |
| 65              | 110     | 28     | JM511946/910  |
| 65              | 110     | 31     | T2DD065       |
| 65              | 110     | 34     | 33113R        |
| 65              | 110     | 34     | 33113         |
| 65              | 120     | 24,75  | 30213         |
| 65              | 120     | 32,75  | 32213         |
| 65              | 120     | 41     | 33213         |
| 65              | 130     | 37     | T7FC065       |
| 65              | 140     | 36     | 30313         |
| 65              | 140     | 36     | 31313         |
| 65              | 140     | 51     | 32313B        |
| 65              | 140     | 51     | 32313         |
| 65,088          | 135,755 | 53,975 | 6379/K-6320   |
| 66,675          | 112,712 | 30,162 | 39590/39520   |
| 66,675          | 112,712 | 30,162 | 3984/3920     |
| 66,675          | 119,985 | 32,75  | 39590/39528   |
| 66,675          | 135,755 | 53,975 | 6386/K-6320   |
| 69,85           | 112,712 | 25,4   | 29675/29620/3 |
| 69,85           | 120     | 29,795 | 482/472       |
| 69,85           | 120     | 32,545 | 47487/47420   |
| 69,85           | 120     | 32,545 | 47487/47420A  |
| 69,85           | 127     | 36,512 | 566/563       |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |         |        | Designation  |
|-----------------|---------|--------|--------------|
| Bore            | OD      | Width  | Basic Ref    |
| 70              | 110     | 25     | 32014X       |
| 70              | 110     | 31     | 33014        |
| 70              | 120     | 37     | 33114        |
| 70              | 125     | 26,25  | 30214        |
| 70              | 125     | 33,25  | 32214        |
| 70              | 125     | 41     | 33214        |
| 70              | 130     | 43     | T2ED070      |
| 70              | 140     | 39     | T7FC070      |
| 70              | 150     | 38     | 30314        |
| 70              | 150     | 38     | 31314        |
| 70              | 150     | 54     | 32314B       |
| 70              | 150     | 54     | 32314        |
| 71,438          | 117,475 | 30,162 | 33281/33462  |
| 71,438          | 136,525 | 41,275 | H414249/210  |
| 73,025          | 112,712 | 25,4   | 296859620/3  |
| 73,025          | 117,475 | 30,162 | 33287/33462  |
| 73,025          | 127     | 36,512 | 567/563      |
| 75              | 105     | 20     | 32915        |
| 75              | 115     | 25     | 32015X       |
| 75              | 115     | 31     | 33015        |
| 75              | 125     | 37     | 33115        |
| 75              | 130     | 27,25  | 30215        |
| 75              | 130     | 33,25  | 32215        |
| 75              | 130     | 41     | 33215        |
| 75              | 150     | 42     | T7FC075      |
| 75              | 160     | 40     | 30315        |
| 75              | 160     | 40     | 31315        |
| 75              | 160     | 58     | 32315B       |
| 75              | 160     | 58     | 32315        |
| 76,2            | 109,538 | 19,05  | L814749/710  |
| 76,2            | 127     | 30,126 | 42687/42620  |
| 76,2            | 133,35  | 33,338 | 47678/47620  |
| 76,2            | 139,992 | 36,512 | 575/572      |
| 76,2            | 161,925 | 49,212 | 9285/9220    |
| 80              | 125     | 29     | 32016X       |
| 80              | 125     | 36     | 33016        |
| 80              | 130     | 35     | JM515649/610 |
| 80              | 130     | 37     | 33116        |
| 80              | 140     | 28,25  | 30216        |
| 80              | 140     | 35,25  | 32216        |
| 80              | 140     | 46     | 33216        |
| 80              | 160     | 45     | T7FC080      |
| 80              | 170     | 42,5   | 30316        |
| 80              | 170     | 42,5   | 31316J1      |
| 80              | 170     | 61,5   | 32316        |
| 82,55           | 139,992 | 36,512 | 580/572      |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |         |        | Designation    |
|-----------------|---------|--------|----------------|
| Bore            | OD      | Width  | Basic Ref      |
| 85              | 130     | 29     | 32017X         |
| 85              | 130     | 36     | 33017          |
| 85              | 140     | 41     | 33117          |
| 85              | 150     | 30,5   | 30217          |
| 85              | 150     | 38,5   | 32217          |
| 85              | 150     | 49     | 33217          |
| 85              | 180     | 44,5   | 30317          |
| 85              | 180     | 44,5   | 31317          |
| 85              | 180     | 63,5   | 32317B         |
| 85              | 180     | 63,5   | 32317          |
| 85,725          | 146,05  | 41,275 | 665/653        |
| 88,9            | 152,4   | 39,688 | 593/592A       |
| 90              | 140     | 32     | 32018X         |
| 90              | 140     | 39     | 33018          |
| 90              | 145     | 35     | JM718149A/110  |
| 90              | 147     | 40     | HM218248/WA10A |
| 90              | 150     | 45     | 33118          |
| 90              | 160     | 32,5   | 30218          |
| 90              | 160     | 42,5   | 32218          |
| 90              | 190     | 46,5   | 30318          |
| 90              | 190     | 46,5   | 31318          |
| 90              | 190     | 67,5   | 32318          |
| 92,075          | 152,4   | 39,688 | 598/592A       |
| 95              | 145     | 32     | 32019X         |
| 95              | 145     | 39     | 33019          |
| 95              | 170     | 34,5   | 30219          |
| 95              | 170     | 45,5   | 32219          |
| 95              | 180     | 49     | T7FC095        |
| 95              | 200     | 49,5   | 30319          |
| 95              | 200     | 49,5   | 31319          |
| 95              | 200     | 71,5   | 32319          |
| 95,25           | 146,05  | 33,338 | 47896/47820    |
| 95,25           | 152,4   | 39,688 | 594A/592A      |
| 95,25           | 152,4   | 39,688 | 594/592A       |
| 95,25           | 168,275 | 41,275 | 683/672        |
| 100             | 140     | 25     | 32920          |
| 100             | 145     | 24     | T4CB100        |
| 100             | 150     | 32     | 32020X         |
| 100             | 150     | 39     | 33020          |
| 100             | 156,975 | 42     | HM220149/110   |
| 100             | 160     | 41     | JHM720249/210  |
| 100             | 165     | 47     | T2EE100        |
| 100             | 180     | 37     | 30220          |
| 100             | 180     | 49     | 32220          |
| 100             | 180     | 63     | 33220          |
| 100             | 215     | 51,5   | 30320          |
| 100             | 215     | 56,5   | 31320X         |
| 100             | 215     | 77,5   | 32320          |
| 101,6           | 168,275 | 41,275 | 687/672        |
| 105             | 160     | 35     | 32021X         |
| 105             | 160     | 43     | 33021          |
| 105             | 190     | 39     | 30221          |
| 105             | 190     | 53     | 32221          |
| 105             | 225     | 81,5   | 32321          |

# SINGLE ROW TAPER ROLLER BEARINGS



| Dimensions (mm) |         |        | Designation  |
|-----------------|---------|--------|--------------|
| Bore            | OD      | Width  | Basic Ref    |
| 107,95          | 158,75  | 23,02  | 37425/37625  |
| 110             | 150     | 25     | 32922X       |
| 110             | 170     | 38     | 32022X       |
| 110             | 170     | 47     | 33022        |
| 110             | 180     | 41,275 | 64432/64708  |
| 110             | 180     | 56     | 33122        |
| 110             | 200     | 41     | 30222        |
| 110             | 200     | 56     | 32222        |
| 110             | 240     | 54,5   | 30322        |
| 110             | 240     | 63     | 31322X       |
| 110             | 240     | 84,5   | 32322        |
| 114,3           | 177,8   | 41,275 | 64450/64700  |
| 114,3           | 180,975 | 34,925 | 68450/68712  |
| 120             | 165     | 29     | 32924        |
| 120             | 170     | 27     | T4CB120      |
| 120             | 180     | 38     | 32024X       |
| 120             | 180     | 48     | 33024        |
| 120             | 215     | 43,5   | 30224        |
| 120             | 215     | 61,5   | 32224        |
| 120             | 260     | 59,5   | 30324        |
| 120             | 260     | 68     | 31324X       |
| 120             | 260     | 90,5   | 32324        |
| 127             | 182,562 | 39,688 | 48290/48220  |
| 127             | 196,85  | 46,038 | 67388/67322  |
| 130             | 180     | 32     | 32926        |
| 130             | 200     | 45     | 32026X       |
| 130             | 230     | 43,75  | 30226        |
| 130             | 230     | 67,75  | 32226        |
| 130             | 280     | 63,75  | 30326        |
| 130             | 280     | 72     | 31326X       |
| 133,35          | 177,008 | 25,4   | L327249/210  |
| 133,35          | 196,85  | 46,038 | 67391/67322  |
| 139,7           | 236,538 | 57,15  | HM231132/110 |
| 140             | 190     | 32     | 32928        |
| 140             | 195     | 29     | T4CB140      |
| 140             | 210     | 45     | 32028X       |
| 140             | 250     | 45,75  | 30228        |
| 140             | 250     | 71,75  | 32228        |
| 140             | 300     | 77     | 31328X       |
| 149,225         | 236,538 | 57,15  | HM231148/110 |
| 150             | 210     | 32     | T4DB150      |
| 150             | 225     | 48     | 32030X       |
| 150             | 225     | 59     | 33030        |
| 150             | 270     | 49     | 30230        |
| 150             | 270     | 77     | 32230        |
| 150             | 320     | 82     | 31330X       |
| 152,4           | 222,25  | 46,83  | M231649/610  |